

THE PROJECT GUIDE FOR

# ARCHITECTS & PLANNERS



Villeroy & Boch

1748

THE PROJECT GUIDE FOR

# ARCHITECTS & PLANNERS



Villeroy&Boch – The Project Guide for Architects & Planners

Published by: Villeroy&Boch AG, Saaruferstraße, D-66693 Mettlach

Photos: Villeroy&Boch

© Villeroy&Boch AG

# Contents

## **4 PROJECTS**

- 6 Hotel & Restaurant
- 14 Housing
- 16 Office & Commerce
- 18 Sport & Culture
- 22 Health & Healthcare
- 24 Public sector & Education

## **26 EXPERTISE**

- 28 History
- 32 Materials
- 42 Sustainability & Environmental protection
- 44 Practical solutions
- 46 Purity & Hygiene
- 48 International approvals
- 50 Precision fit
- 52 Accessible bathrooms
- 54 Colours & Décors
- 56 Educational construction

## **PRODUCTS**

- 58 Washbasins
- 94 Toilets & Bidets
- 120 Urinals
- 128 Shower trays
- 140 Baths
- 156 Special articles
- 162 Other products

# 01


## PROJECTS

Villeroy&Boch works with architects, planners and interior designers during and after the project – from the first draft to the final version. The modular PROJECTS system from Villeroy&Boch offers collections and products for individual project requirements with clear segmentation in terms of pricing and subject matter.

## Project segments:



**Hotel & Restaurant**



**Sport & Culture**




**Housing**



**Health & Healthcare**



**Office & Commerce**



**Public sector & Education**

## Price segments:



### **Premium & Luxury**

Collections for the most discerning requirements



### **Design & Lifestyle**

Design variety for every project



### **System & Function**

The modular concept for different projects



### **Entry level & Broad product range**


The attractive entry-level price segment for every project requirement

# 7 Stars Galleria Boutique Hotel, Milan

A modern spirit thrives within an historic architectural masterpiece

Located inside the world famous Galleria Vittorio Emanuele II in Milan, the 7 Stars Galleria by Massimo Magaldi Architetto is renowned as the world's first seven star hotel. Nearly all of the hotel's guestrooms and suites are appointed with large windows and balconies and offer direct views of the Galleria's dome, historical frescoes and stunning mosaic floors. Magaldi has used plain colours, materials and fittings and minimalist furnishings in the guestrooms and suites to conjure up a serene atmosphere of wellbeing which does justice to the spiritual nature of this historic building. The washbasins from the Loop&Friends collection and the free-standing Aveo New Generation baths in particular emphasise the ambience of luxury and refined elegance.

<b>Project name:</b>	7 Stars Galleria
<b>Location:</b>	Milan, Italy
<b>Completion:</b>	2015
<b>Developer:</b>	Prada Costruzioni Srl
<b>Architect:</b>	Massimo Magaldi Architetto
<b>Products:</b>	Artis washbasins Aveo New Generation baths Loop & Friends washbasins Subway 2.0 washbasins DirectFlush toilets, toilet seats and bidets





# Faralda NDSM Crane Hotel, Amsterdam

## Industrial monument with wellness area

The Faralda NDSM Crane Hotel in Amsterdam is as unusual as a hotel can be. The listed crane in the former shipyard was innovatively restored on the basis of an idea by the owner and project designer Edwin Kornmann Rudi in co-operation with IAA Architecten in Amsterdam and the engineers from VDNDP bouwingenieurs and now houses three luxury suites. The elegant designer bathrooms include products from various Villeroy&Boch bathroom collections. On the upper terrace there is even a SportX-Line hot tub – all at the dizzying height of 35 to 45 metres.

<b>Project name:</b>	Faralda NDSM Crane Hotel
<b>Location:</b>	Amsterdam, The Netherlands
<b>Completion:</b>	2013
<b>Developer:</b>	Edwin Kornmann Rudi
<b>Architect:</b>	IAA Architecten, Enschede
<b>Website:</b>	<a href="http://www.iaa-architecten.nl">www.iaa-architecten.nl</a>
<b>Engineers:</b>	VDNDP bouwingenieurs bv
<b>Planners:</b>	SID studio, SDC Verifier, Constructiebureau Tentij, Cargotec, Gerd Jacobs
<b>Products:</b>	Loop & Friends various sanitary ware products Aveo various sanitary ware products La Belle bath Squaro Edge 12 bath Hot tub (SportX-Line model)





# Prestige Hotel, Budapest

## Bourgeois elegance blends with modern design

The Classicist building with a listed façade from 1860 has a chequered past and has undergone numerous structural modifications throughout its history. Originally the residence of the celebrated Hungarian architect József Hild, the building in the centre of Budapest was used for a variety of purposes before the hotelier Mazen Al Ramahi converted it into a four-star superior hotel in 2015. Thanks to the work of a large team of architects and interior designers, the Prestige Hotel Budapest presents an accomplished blend of contemporary design and stylistic elements from the era of the Austro-Hungarian Empire. The result is a charming retro flair, transporting the splendour of the past into the bustling world of modern-day Budapest. This charm is also reflected in the high-quality bathrooms in the hotel's 85 rooms covering various categories, where purist sanitary ceramics from Villeroy & Boch's Architectura collection complement the combination of modernity, elegance, carefully chosen materials and ornamentation.

<b>Project name:</b>	Prestige Hotel Budapest
<b>Location:</b>	Budapest, Hungary
<b>Completion:</b>	2015
<b>Developer:</b>	Mazen Al Ramahi, hotelier
<b>Construction project:</b>	Conversion of a Classicist office building into a four-star superior hotel with 85 rooms, bathroom furnishings
<b>Architects:</b>	Originally built c. 1860: József Hild Conversion 2014: Péter Hegedűs, Ágnes Bolyó
<b>Interior designers:</b>	Virág Vörös, Csilla Sáfrány, Tünde Bagyinszkiné Kiss
<b>Products:</b>	Architectura toilets, washbasins and accessible toilets





# W Beijing Chang'an, Beijing

## Innovative design hotel for a young target group

Located close to world-famous sights like the Forbidden City or Tiananmen Square, the W Beijing Chang'an Hotel is hip, loud, colourful and high quality. The 349-room designer hotel by the international architects RTKL is coupled with an original and striking interior from AB Concept from Hong Kong to produce a dynamic overall concept combining design, art and music for its trend-loving guests. The hotel is remarkable for its spectacular installations, lively colours, unusual materials and the dynamic lighting concept. The public toilets also have high-grade surfaces, coloured marble, refined mirror effects and modern sanitary ceramics from the Architectura, Subway and Loop & Friends collections.

<b>Project name:</b>	W Beijing Chang'an
<b>Location:</b>	Beijing, China
<b>Completion:</b>	2014
<b>Developer:</b>	COFCO Land Holdings Limited, renamed: Joy City Property Limited
<b>Construction project:</b>	Design of public toilet areas
<b>Architect:</b>	RTKL Architectural Design Consulting, Beijing
<b>Website:</b>	<a href="http://www.rtkl.com">www.rtkl.com</a>
<b>Interior designer:</b>	AB CONCEPT, Hong Kong
<b>Website:</b>	<a href="http://www.abconcept.net">www.abconcept.net</a>
<b>Products:</b>	Architectura toilets, washbasins and accessories Subway urinals Loop & Friends washbasins





# 44 Floors, De Rotterdam, Rotterdam

## Exclusive homes in Holland's largest multifunctional building

The "44 Floors" in Rotterdam is the west residential tower in the "De Rotterdam" complex which was completed at the end of 2013. The multifunctional building at Wilhelminapier was designed by OMA as a vertical community, combining offices, catering outlets, a hotel, leisure amenities, parking facilities and apartments on 160,000 m<sup>2</sup> of floor space. With its three glazed towers, it is a real eye-catcher at the port of Rotterdam. The 240 high-quality apartments and penthouses at the "44 Floors" feature floor-to-ceiling windows affording outstanding views of the port area and the city. They appeal to a modern, urbane clientele who attach importance to comfort and a luxurious lifestyle. The bathrooms befittingly feature sanitary items from Villeroy & Boch's Subway 2.0 and Subway collections.

<b>Project name:</b>	44 Floors, De Rotterdam, The Netherlands
<b>Location:</b>	Wilhelminapier Rotterdam, The Netherlands
<b>Completion:</b>	2013
<b>Project owner:</b>	44 Floors: Amwest <a href="http://www.amwest.nl">www.amwest.nl</a> De Rotterdam: Rabo Vastgoedgroep <a href="http://www.rabovastgoedgroep.nl">www.rabovastgoedgroep.nl</a>
<b>Construction project:</b>	Multifunctional building with apartments
<b>Architect:</b>	OMA – Office for Metropolitan Architecture Lead Designers: Rem Koolhaas, Reinier de Graaf, Ellen van Loon <a href="http://www.oma.eu">www.oma.eu</a>
<b>Products:</b>	Subway 2.0 washbasins, handwashbasins and wall-mounted washdown toilets Subway baths





# Lufthansa Lounge, Milan Malpensa

## A delightful retreat

Aperitivo, fresh pasta, espresso served by a barista – since January 2018, the Lufthansa Lounge at Milan Malpensa airport has been celebrating the city’s typical culinary delights. A new lounge concept has been realised over an area of more than 500 m<sup>2</sup>, offering first-class service in a congenial home-from-home setting rounded off by an impressive windowed front affording an exclusive view of the terminal manoeuvring area. The focus is on providing guests with the ultimate in comfort. They have various options for creating their own private space and taking some time out from the hustle and bustle of travel. As a “Partner of Lufthansa”, Villeroy&Boch has designed the sanitary area with high-quality ceramics in keeping with the lounge concept, including items from the Artis, Architectura and Subway 2.0 collections and tiles. Guests enjoy perfect comfort in a stylish setting in which contemporary bathroom architecture contrasts interestingly with features citing the city’s history.

<b>Project name:</b>	Lufthansa Lounge, Milan Malpensa
<b>Location:</b>	Milan Malpensa Airport, Italy
<b>Completion:</b>	January 2018
<b>Developer:</b>	Deutsche Lufthansa AG
<b>Area:</b>	Lounge area approx. 550 m <sup>2</sup>
<b>Products:</b>	Subway 2.0 toilets and toilet seats Architectura ProDetect urinals O.novo toilets, toilet seats and washbasins Artis washbasins Just tap fittings Accessories, mirrors






# Westin Hamburg – Elbphilharmonie, Hamburg

## Landmark with a view

The Elbphilharmonie designed by Herzog & de Meuron in Hamburg is unanimously regarded in architectural circles as a masterpiece. The quality of the building is not only in evidence on the outside. The transparent facade conjures up special moments inside, too. The panoramic bathrooms of the Westin Hotel in particular offer unparalleled views of the busy port, courtesy of windows extending down to the floor. Interior designer Tassilo Bost's stringent concept combines the counterpoints of openness and seclusion in spectacular fashion. The bathrooms are ideally positioned directly at the facade, providing guests with a special experience while at the same time meeting their desire for privacy. Villeroy&Boch underscores this radical bathroom concept with products from the Architectura and Loop & Friends collections.

<b>Project name:</b>	Elbphilharmonie
<b>Location:</b>	Hamburg, Germany
<b>Completion:</b>	2016
<b>Developer:</b>	Elbphilharmonie Bau KG
<b>Architects:</b>	Herzog & de Meuron
<b>Interior designer:</b>	Tassilo Bost
<b>Products:</b>	Architectura toilets Loop & Friends washbasins







# Bolshoy Ice Dome, Sochi

## Sanitary concept for 12,000 people

One of the challenges in the planning of sites for large events is to integrate innovative architecture in order to attract tourists and to turn the site into a prestige object for the city or sports club concerned. One example is the Bolshoy Ice Dome in Sochi which was designed by the Mostovik architect's office for the 2014 Winter Olympics. Of even greater importance in stadium are an optimised infrastructure and reliable supply system. This includes service functions like public toilets. Around 1,000 sanitary ware products from the O.novo, Subway and Architectura collections from Villeroy & Boch were used in the Bolshoy Ice Dome.

<b>Project name:</b>	Bolshoy Ice Dome
<b>Location:</b>	Sochi, Russia
<b>Completion:</b>	2012
<b>Developer:</b>	SC Olympstroy
<b>Architect:</b>	MC Mostovik architectural office
<b>Website:</b>	<a href="http://www.mostovik.ru">www.mostovik.ru</a>
<b>Engineers:</b>	Andrey Ustinov, Andrey Veter
<b>Capacity:</b>	12,000 seats
<b>Site area:</b>	18,534 m <sup>2</sup>
<b>Usable space:</b>	54,870 m <sup>2</sup>
<b>Products:</b>	O.novo toilets and washbasins Subway urinals and washbasins Architectura toilets and washbasins





# University Medical Center Groningen, UMCG

## Highest hygiene demands for hospitals

The University Medical Center Groningen, or UMCG, has always played a leading role in the development of hospital architecture. The complex has a very long history dating back to the eighteenth century. Since then both the medical services and building structure have been continuously enlarged. In addition to the major architectural and urban development renewal, it is smaller changes, such as the modernisation of the toilet areas, which ensure that the building meets the highest hygiene and cleanliness requirements. Since 2014, Interieurarchitectuur Hart and Royal HaskoningDHV from Groningen have been replacing all 2,000 toilets in the original building with innovative sanitary ware products from Villeroy & Boch that satisfy the highest hygiene demands.

<b>Project name:</b>	University Medical Center Groningen
<b>Location:</b>	Groningen, The Netherlands
<b>Completion:</b>	Renovation of toilet facilities since 2014
<b>Developer:</b>	University Medical Center Groningen
<b>Construction project:</b>	Renovation of toilet facilities, replacement of approx. 2,000 toilets
<b>Architect:</b>	Interieurarchitectuur Hart, Wim Hart
<b>Website:</b>	<a href="http://www.wimhart.nl">www.wimhart.nl</a>
<b>Engineers:</b>	Royal HaskoningDHV, Groningen
<b>Products:</b>	Architectura toilets, urinals and washbasins Memento toilets and washbasins





# Waldorf nursery school Ennepetal-Voerde, Ennepetal

## Natural building materials to foster young children's creativity

Sustainable, economical and above all a building for children. These were the requirements specified in the town of Ennepetal's invitation for tenders to build the new nursery schools. The concept submitted by Soest-based developer Materio under managing director Johannes Berger won the contract to build the new nurseries. Thanks also to the expertise of architecture firm RSA – Rinsdorf Ströcker Architekten, the shell of the building was completed as a wooden post-and-beam construction in the space of 2 weeks. The total floor area of around 715 m<sup>2</sup> accommodates 4 groups with a total of 75 places per nursery. The child-friendly design of the O.novo Kids bathroom range from Villeroy & Boch supports the educational concept of pre-school "self-learning", with all elements suitable for use by children of any age without assistance.


<b>Project name:</b>	Waldorf nursery school Ennepetal-Voerde
<b>Location:</b>	Ennepetal-Voerde, Germany
<b>Completion:</b>	2017
<b>General contractor:</b>	Materio Holzbau GmbH, Johannes Berger
<b>Architect:</b>	RSA – Rinsdorf Ströcker Architekten GmbH
<b>Usable space:</b>	715 m <sup>2</sup> (75 children in 4 groups)
<b>Products:</b>	O.novo Kids bathroom range





# 02

## Expertise



# European cultural history

## Made in Mettlach

When François Boch founded a small ceramics business in Audun-le-Tiche in Lorraine in 1748, he could scarcely have imagined that his company would one day help to shape European cultural and industrial history. Since then, the company has not only influenced tableware, bathroom and living styles but also developed significant products and production processes and, in addition, helped to democratise hygiene. A fine instinct for innovation and aesthetics and numerous collaborations with architects and designers provide the basis for new developments which will continue to shape bathroom culture in the future.



### **The Old Abbey**

1809. After its closure, Jean-François Boch took over the old Benedictine abbey in Mettlach on the Saar. He built a modern tableware factory, opening up the way for industrial ceramic production. The headquarters of Villeroy&Boch is still to be found in the baroque building today.



### **Vincent van Gogh**

1888. Van Gogh painted a portrait of his close friend Eugène Boch entitled "The Poet". The neo-impressionists Anna and Eugène Boch were actively involved in the art scene and had close contact to major artists such as Toulouse-Lautrec and Ensor.

**Luigi Colani**

1975. Colani created a completely new bathroom concept for Villeroy & Boch, defining the bathroom for the first time as a living area. In the years that followed, this new approach was to exert a major influence on the entire industry.

**Luxury enters the bathroom**

2017. The Octagon pedestal washbasin and the Squaro Prestige bath were transformed into exclusive, hand-crafted masterpieces featuring more than 6,000 Swarovski crystals, based on designs by Hong Kong star architect Steve Leung.

# Architecture

## Part of corporate culture

Deeply rooted in architecture and art, Villeroy&Boch has always attached importance to high-quality design and aesthetics. This is demonstrated by the company's close collaboration with leading architects of their day, who have applied the company's expertise to realise their design ideas in ceramic products, and is equally evidenced by renowned partners such as Marcel Wanders, Roberto Capucci, Sebastian Conran, Luigi Colani, Frog Design or Steve Leung. The results of this mutual inspiration can be witnessed in renowned buildings all over the world.




### Schinkel Fountain

1833. Karl Friedrich Schinkel designed a two-bowl cast iron fountain for the grounds of the Old Abbey in Mettlach – a gift from the Crown Prince Frederick William of Prussia to Jean-François Boch. Not far from it is the Old Tower, the oldest sacred building in the Saarland.




### Cologne Cathedral

1890. Villeroy&Boch created a 1,300 m<sup>2</sup> floor mosaic for Cologne Cathedral.



### Holland Tunnel

1920. Villeroy&Boch completed a major project, fitting out the Holland Tunnel connecting New York City and New Jersey with 10,000m<sup>2</sup> of tiles – it can still be seen today.




#### **Radisson Royal Hotel Moscow**

2010. Following extensive renovation and upgrading to luxury standard, this legendary building from the 1950s shines in new splendour as a revival of the stately architecture of times past. Befittingly, the exclusive bathroom fixtures and furnishings come from Villeroy & Boch.



#### **Golden Mile, Palm Jumeirah**

2010. A superlative development off the coast of Dubai. Villeroy & Boch fitted out the luxury apartments and hotels along the Golden Mile with more than 20,000 sanitary products.



#### **Elbphilharmonie Hamburg**

2016. Hamburg has a new landmark: the Elbphilharmonie, a magnificent work of art combining architecture, the location and music. Elegant, high-quality ceramic sanitary ware from Villeroy & Boch underscores the exceptional bathroom concept of the Westin Hotel.

# Ceramics

## Clay, kaolin, feldspar, quartz and 270 years of experience

Ceramics have always been the defining feature of the Villeroy & Boch story. The material has been re-interpreted over and over and continuously developed by the company: with a devotion to craftsmanship; with the latest production methods; and with an eye for details. Every year, new and exceptional ceramic products of the highest quality and durability are manufactured. One thing has remained unchanged, however: a fascination for a natural product that never ceases to amaze.

### Special features of Villeroy & Boch

#### ceramics:

- Consistently high quality with over 25 control instances – from initial inspection of the raw materials to the final approval of the finished product
- Brilliant and highly-resistant surface thanks to the specially-prepared extra-thick glazing
- Breaking strength of up to 800 kg (wall-mounted toilets are required to have 400 kg)
- Colour competence: 18 of the 19 colours used as masters by the ceramic industry association were developed by Villeroy & Boch



Precision machines help workers and contribute to the consistently high quality of the products.



The glazed blanks are placed for approx. 16 hours in furnaces heated to as much as 1,200 °C to produce the finished product.



# TitanCeram

## The ceramic material for precise forms

Firmer. Finer. And perfectly formed. Villeroy&Boch fuses natural raw materials such as feldspar, quartz, clay and titanium dioxide to create a material with the properties of top-class ceramics paired with great strength: TitanCeram. The advantages for shaping are a key source of inspiration for bathroom design. TitanCeram permits accurate bathroom ceramics, with delicate shapes and sharply defined edges, that are particularly stable and robust. Ideal for highly exclusive bathrooms.

### Special features of TitanCeram:

- Precise design with extremely thin walls and sharply defined edges
- Great product stability thanks to an innovative material and a special production process
- Brilliant, highly-resistant surface thanks to the specially-prepared glazing
- Outstanding product quality thanks to strict quality assurance
- Great choice of colours: the TitanCeram washbasins are available in all Villeroy&Boch ceramic colours



The material passes through several filtration processes.



Perfecting the blank before glazing.



## Quaryl®

As tough as quartz, and proving its worth for 25 years

Quaryl® from Villeroy & Boch is a unique material. It enables precise designs and is also highly robust and durable. An exclusive material consisting of 60% quartz and high-quality sanitary acrylic which can be cast with precision, resulting in delicate, dimensionally stable products with exact edges and tight radii which enable flush fitting. Perfect for durable and customised solutions in project business.

### Special features of Quaryl®:

- Precise radii and edges with low tolerances and material thicknesses of 8 – 18 mm
- Squaro Infinity shower trays that can be cut to size with millimetre accuracy
- Skin-friendly surface that is pleasant to the touch
- Sound-absorbent and heat-insulating, slip-resistant and particularly robust
- 10-year guarantee on all Quaryl® products
- 35 quality controls from the raw material to the finished product
- Lighter yet more stable and robust than other cast mineral materials



Quaryl® permits highly precise forms.



Squaro Infinity Quaryl® shower trays can be tailor-made and cut to size as required.



# Acrylic

## More design flexibility and highest quality

Villeroy & Boch acrylic products offer architects extreme planning and design flexibility. Designed specifically for high-end bathrooms, Villeroy & Boch acrylic has long been acclaimed for its durability and high quality, allowing great product variety, a perfect appearance and a high degree of functionality. The processing of first-class raw materials and the use of the latest production and testing procedures make for products of the utmost reliability for project business.

### Special features of Villeroy & Boch acrylic baths and shower trays:

- Perfect product quality with thicknesses of 3.6 – 4 mm
- Highest quality guarantee – every product is individually checked
- 10-year guarantee on shower trays and baths
- Smooth, pore-free surfaces which are easy to repair
- All products are made in Europe



The acrylic sheets are heated and vacuum-drawn into the mould. Once cooled, the moulded object is then precisely ground and polished.



IP65  
COOLANT  
PROOF

0-25mm

MI

QuantuMike

ORIGIN

ZERO/ABS

HOLD

5.724

# TitanGlaze

## Matt. Beautiful. Stronger.

This new glaze combines crucial benefits: its modern matt look conjures up a special aesthetic appeal and is also particularly durable. Thanks to ultra-pure, crystalline aluminium oxide, TitanGlaze provides the ceramics with a high-quality finish that is particularly scratch- and impact-resistant. The products retain their unique appearance even when subjected to rough use – and keep looking as immaculate as on day one for many years.

### Special features of TitanGlaze:

- Modern surface finish with ceramic glaze in matt look
- Enhanced robustness – above-average results in diamond scratching and falling ball test
- Broad range of ceramic products in the mainstream and premium segments
- Available in new matt colour Stone White
- Ideally combinable with wellness products in Stone White



TitanGlaze enhances the ceramics' impact and scratch resistance.



Its particular robustness has been demonstrated by the falling ball test.



# Sustainability

## Environmental protection is second nature to Villeroy & Boch

Environmental protection is self-evident for Villeroy&Boch, and all the relevant processes are controlled and linked worldwide by a central environment management unit with a view to developing innovative production processes and solutions, making more efficient use of energy and raw materials, reducing emissions and extending the service life of products – well beyond the levels set by laws and regulations.

### Villeroy & Boch environmental activities:

- Continual reduction of waste water at all plants
- 40% reduction in CO<sub>2</sub> emissions in Mettlach since 2005
- EMAS (Eco Management and Audit Scheme) validation
- One of the first ceramics manufacturers worldwide to be awarded ISO 9001 certification
- Certification in accordance with international environmental management standard ISO 14001 and energy management standard DIN EN ISO 50001
- Quality assurance in accordance with REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals) regulation
- Member of the German Sustainable Building Council, DGNB e.V.
- Member of the USGBC (U.S. Green Building Council) and LEED (Leadership in Energy and Environmental Design) Rating System
- Registered member of the European Water Label Scheme



EMAS (Eco Management and Audit Scheme) validation.

Member of



Certification system of the German Sustainable Building Council (DGNB) for objective specification and assessment of the sustainability of buildings and urban developments.



USGBC/LEED assessment system for the environment-friendliness and energy efficiency of buildings.



European Water Label – labelling system for the water efficiency of sanitary ware products.



# Efficiency

Practical, attractive and perfect for continuous use

Practicality and efficient maintenance in public buildings are prime considerations in the development of new Villeroy&Boch products. The result: reliable and invisible solutions for toilets and urinals that simplify operation because the time and labour required for cleaning is reduced and the service life of the products extended. An inestimable advantage for all buildings in which efficiency and practicality are the order of the day.



## The award-winning water-saving system. AquaReduct

- Villeroy & Boch was one of the first to offer a 4.5 l toilet
- 1.5-litre water savings with the same high flushing performance (= savings of up to 25%)
- Villeroy & Boch offers one of the widest ranges of water-saving toilets in the industry
- Also suitable for retrofitting without special piping
- Received the environment prize of the Federation of German Industries (BDI); maximum number of points achieved: 4 LEED points



## Urinal flush control via app. ProDetect 2

- Suitable for use all over the world and water-efficient
- Automatic flush after use
- Stadium mode and 24 h hygiene flush
- Wireless remote diagnosis and function change through Bluetooth® interface
- Vandal-proof as all the technology is concealed behind the ceramic unit

**The flexible toilet attachment system.****SupraFix 3.0**

- Time-saving toilet installation from above by one person
- No visible screws, cover caps or fastening holes
- 2-in-1 installation of the toilet and toilet seat using the same holes
- More flexible positioning and precise alignment of the toilet seat as required by the customer



**Fast replacement of siphon cartridge.****ViChange**

- Siphonic urinals, ideal for public buildings
- Lower maintenance costs as the cartridge can be replaced in just 30 seconds, without having to remove the urinal from the wall
- Attractive ceramic outlet cover
- Fits various connection dimensions, height-adjustable outlet is ideal for renovated buildings

# Hygiene

## Minimum effort for maximum cleanliness

Stringent hygiene standards can be met either by thorough cleaning – or with the reliable hygiene solutions from Villeroy&Boch. From the rimless toilet to an antibacterial finish, Villeroy&Boch offers a variety of technologies to increase safety for guests, visitors and patients. For uncompromising cleanliness in the health sector and in every other building in which the highest level of hygiene is required.



### The dirt-repellent surface finish. CeramicPlus

- Non-stick effect prevents limescale deposits
- Permanently dirt-repellent and a brilliant sheen
- 80 % less cleaning time\*, 90 % less cleaning agent\*, 90 % less water\*\*
- Available for all sanitary ceramic products and all colours

### The antibacterial glaze. AntiBac

- Has been proven to reduce the growth of bacteria by more than 99.9%\*\*\*
- Available for ceramic surfaces and toilet seats
- Ideal for the strict hygiene standards in the commercial sector
- Can be combined with CeramicPlus and DirectFlush for optimum hygiene

### Combined effect of AntiBac, DirectFlush and CeramicPlus in application test\*\*\*\*

- Greater safety thanks to a combination of AntiBac, DirectFlush and CeramicPlus
- Multiple effect as important contribution to infection control in hospitals



\* For the removal of limescale in comparison to standard Villeroy & Boch ceramics, wfk – Institut für Angewandte Forschung GmbH (wfk – Institute for Applied Research), WL 7478/15 dated 30 April 2015

\*\* For the removal of slurry in comparison to standard Villeroy & Boch ceramics, wfk – Institut für Angewandte Forschung GmbH (wfk – Institute for Applied Research), WL 7478/15 dated 30 April 2015

\*\*\* Confirmed by the independent BOKEN Quality Evaluation Institute, the Federal Institute for Material Testing (BAM) in Berlin and IZORE Centrum Infectieziekten Friesland, NL

\*\*\*\* Standard household cleaning and rinsing



Toilet with skirting.



Rimless toilet, with ledge.

### The generation of rimless toilets.

#### DirectFlush

- The inside of the bowl is flushed in its entirety without splashing
- Maximum flushing performance thanks to precise water flow
- Easy, fast cleaning thanks to rimless design
- Visible hygiene for the user, too
- Various models available: Compact, Standard, XL and Vita
- The broadest range of rimless toilets on the market



# Internationalisation

## Country-specific solutions directly from the flushing laboratory

Different countries have different standards and building regulations. To enable toilets to be used in international projects, the Villeroy&Boch laboratory carries out flushing tests in compliance with national building regulations for all kinds of objects – from golf balls to sawdust and pages from Australian telephone directories. The testing is not complete until the design and flushing complies with national standards, saving time and ensuring in this way that architects can plan with confidence.



### International flushing volume requirements:

- |   |   |  |
|---|---|--|
| 1. <b>CSA Canada</b><br>6 litres + 4.8 litres         | 6. <b>NF France</b><br>6 litres   | 10. <b>IKRAM Malaysia</b><br>6 litres + 4.5 litres   |
| 2. <b>IAPMO USA</b><br>6 litres + 4.8 litres          | 7. <b>EN 997 Class 1</b><br><b>EU states except UK</b><br>6 litres + 4.5 litres | 11. <b>SISIR Singapore</b><br>Good 4.5 litres<br>Very good 4.0 litres<br>Excellent 3.5 litres  |
| 3. <b>NORDTEST Scandinavia</b><br>6 litres + 4 litres | 8. <b>SASSO Saudi Arabia</b><br>6 litres  | 12. <b>SAI Australia</b><br>3 stars On average 4.0 litres<br>4 stars On average 3.5 litres<br>5 stars On average 3.0 litres<br>6 stars On average 2.5 litres |
| 4. <b>EN 997 Class 2 UK</b><br>6 litres + 4.5 litres  | 9. <b>CSI China</b><br>6 litres   |  |
| 5. <b>KIWA Netherlands</b><br>6 litres                |   |  |




# Reliable planning


## A fitting recommendation by Villeroy & Boch

Which taps are most suited to which washbasin to avoid splashing? At Villeroy&Boch architects can quickly find the right solution to ensure perfect functioning, right from the planning stage. Villeroy&Boch has tested its own tap fittings and the best-selling products of other manufacturers on Villeroy&Boch washbasins. The results of this extensive test series facilitate the choice of product considerably.


### Washbasin and tap fitting alternatives:




Surface-mounted washbasin for tap fitting with raised base.




Built-in washbasin with single lever washbasin mixer.




Built-in washbasin for wall outlet tap fitting.



Semi-recessed washbasin for tap fitting with single lever washbasin mixer.




Undercounter washbasin with single lever washbasin mixer.



Wall-mounted washbasin with single lever washbasin mixer.

Where the water hits the basin – ideally just in front or behind the outlet valve depends on the height, projection and jet angle. As a rule: the shallower the basin, the greater the danger of splashing.




# Accessible solutions

## Modern aesthetics for contemporary living areas


Accessible bathrooms should look elegant, too. Villeroy & Boch therefore offers a range of attractive products in different forms adapted right down to the last detail to the requirements, for example, of wheelchair users. And each and every one is designed in such a way that its special practicality is not immediately evident. This means that all users, regardless of their physical health or age, can now have their bathrooms designed as they wish.

### Accessible solutions from Villeroy & Boch:

- O.novo Vita and Architectura Vita collections
- Wheelchair-compatible washbasins with more leg room and handles or grooves to facilitate pulling up a wheelchair and to provide support
- Raised toilet for retrofitting
- Elongated toilet makes it easier to transfer from the wheelchair to the toilet
- Floor-flush ceramic, Quaryl® and acrylic shower trays
- Product and space compliance according to DIN 18040 for accessible design



According to German standard DIN 18040-1.



According to French standards NF P99-611 and NF P91-201.



## Colours & Décors

### Fresh highlights for expressive bathroom concepts

Colours and décors influence the character of a room. They can be used in the bathroom to emphasize specific features, differentiate individual areas and create a pleasant atmosphere. Villeroy & Boch supports architects here with its expertise derived from decades of experience in the development of coloured ceramics and countless high-quality product solutions. Colours or décors add a special finishing touch to washbasins, shower trays and baths, turning them into aesthetic design features which broaden the available design scope for expressive bathroom concepts.



#### Artis washbasins

- 15 colours from 5 colour themes
- Colour concept by the designer Gesa Hansen
- Precise BiColour design with fine 1 mm rim



#### Colour on Demand

- Coloured panels for free-standing baths from 8 collections
- 15 colours from Gesa Hansen's colour concept
- 192 colours from the NCS, RAL, PANTONE and Sikkens colour systems (exception: metallic colours)

#### Colour concept by Gesa Hansen



W3 Mint



W4 Sencha



W5 Cedar



T0 Powder



T1 Ballet



T2 Rose



Antheus "Art Décor" washbasin with platinum décor.

Loop & Friends washbasin by Marcel Wanders for Andaz Hotel in Amsterdam.



### Décors

- According to individual design
- Either on the inside or outside of the washbasins



T3 Macaroon



T4 Lemon



T5 Mustard



W0 Fog



W1 Frost



W2 Ocean



T6 Full Moon



T7 French Linen



T8 Coal Black

# Educational construction

## Child-friendly planning the easy way

Designing sanitary rooms for kindergartens entails special requirements with regard to ergonomics and functionality, safety and hygiene. All elements must be suitable for use by children of all ages without assistance and should encourage childrens' independence by means of appropriate forms and colours. O.novo Kids by Villeroy & Boch reconciles the needs of children, kindergarten staff, parents and the organisations that run pre-school facilities. The collection complies with the relevant guidelines for fitting out sanitary rooms at kindergartens, day nurseries and schools and has been developed specifically to provide architects with a reliable solution in planning such buildings.

### Special features of O.novo Kids:

- Multiple washbasin with trap cover, sensor tap fitting and coloured single-lever washbasin mixer (Gustavsberg), floor-standing toilet for small children and wall-mounted children's toilet with seats in many variants, matching ViConnect installation system and coloured flush plates
- Developed in accordance with the latest scientific findings
- Products covering all age groups
- Modern, child-friendly design encourages childrens' independence
- Integrated hygiene solutions: rimless DirectFlush toilet, ceramics optionally available with dirt-repellent and anti-bacterial surface finishes
- Standard connections for simple installation



The first rimless children's wall-mounted toilet facilitates cleaning and enhances hygiene. Seat rings in 2 sizes and various colours offer safe support for all children.



At the washbasin with 3 different heights and depths, children intuitively go to the appropriate level and are encouraged to wash their hands on their own.



The floor-standing toilet for small children with a soft, ergonomic foam seat ring offers added safety and wellbeing at a height of 260 mm.



03


# Washbasins



# Washbasins

PREMIUM

## VANITY WASHBASIN ANTHEUS




### Model number

<b>4A10 C5</b>	1200 x 540 mm
<b>4A09 A5</b>	1000 x 540 mm

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

PREMIUM

## SURFACE-MOUNTED WASHBASIN ANTHEUS




### Model number

<b>4A10 65</b>	650 x 388 mm
----------------	--------------

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, without overflow

PLUS

## DOUBLE VANITY WASHBASIN ARCHITECTURA



### Model number

<b>6131 13</b>	1300 x 485 mm
----------------	---------------

suitable for 2 3-hole tap fittings, central tap holes punched out, with overflow


### Accessories

pedestal, trap cover

# Washbasins



## VANITY WASHBASIN ARCHITECTURA



**Model number**

<b>6118 13</b>	1300 x 485 mm
----------------	---------------


suitable for 3-hole tap fittings, central tap hole punched out, with overflow

**Accessories**

pedestal, trap cover



## VANITY WASHBASIN ARCHITECTURA



**Model number**

		<b>B</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>K</b>	<b>L</b>
<b>6116 10</b>	1000 x 485 mm	1000	790	535	655	290	540
<b>6116 80</b>	800 x 485 mm	800	800	540	660	290	490


suitable for 3-hole tap fittings, central tap hole punched out, with overflow

**Accessories**

pedestal, trap cover



## WASHBASIN ARCHITECTURA



**Model number**

		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>K</b>	<b>L</b>
<b>4188 55</b>	550 x 470 mm	300	550	480	70	300	480
<b>4188 60</b>	600 x 470 mm	295	600	535	70	295	535
<b>4188 65</b>	650 x 470 mm	295	650	575	65	295	575

suitable for 3-hole tap fittings, central tap hole punched out, with overflow


**Accessories**

pedestal, trap cover

# Washbasins

## WASHBASIN ARCHITECTURA

PLUS




Model number		A	B	C	D	K	L
4188 5G	550 x 470 mm	300	550	480	70	300	480
4188 6G	600 x 470 mm	295	600	535	70	295	535
4188 KG	650 x 470 mm	295	650	575	65	295	575

suitable for 3-hole tap fittings, central tap hole punched out, with overflow, ground underside

## WASHBASIN COMPACT ARCHITECTURA

PLUS



Model number	
4189 55	550 x 380 mm, with overflow
4189 56	550 x 380 mm, without overflow


suitable for 3-hole tap fittings, central tap hole punched out

### Accessories

trap cover

## SURFACE-MOUNTED WASHBASIN ARCHITECTURA

PLUS




Model number	
4125 40	400 mm diameter

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, with overflow

# Washbasins

PLUS

## SURFACE-MOUNTED WASHBASIN ARCHITECTURA




**Model number**

<b>4126 60</b>	600 x 400 mm
----------------	--------------

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, with overflow

PLUS

## SURFACE-MOUNTED WASHBASIN ARCHITECTURA




**Model number**

<b>4127 60</b>	600 x 400 mm
----------------	--------------

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, with overflow

PLUS

## SEMI-RECESSED WASHBASIN ARCHITECTURA



**Model number**


<b>4190 55</b>	550 x 430 mm
----------------	--------------

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

# Washbasins



## BUILT-IN WASHBASIN ARCHITECTURA



### Model number


4165 40

415 mm diameter

without tap hole area, with overflow, outside surface glazed



## BUILT-IN WASHBASIN ARCHITECTURA



### Model number


4166 60

615 x 415 mm

without tap hole area, with overflow, outside surface glazed



## BUILT-IN WASHBASIN ARCHITECTURA



### Model number

4167 60


615 x 415 mm

without tap hole area, with overflow, outside surface glazed

# Washbasins

PLUS

## BUILT-IN WASHBASIN ARCHITECTURA




**Model number**

<b>4193 55</b>	550 x 430 mm
----------------	--------------

suitable for 3-hole tap fittings, central tap hole punched out, with overflow, outside surface glazed

PLUS

## UNDERCOUNTER WASHBASIN ARCHITECTURA




**Model number**

<b>4175 40</b>	340 mm diameter
----------------	-----------------

without tap hole area, with overflow, outside surface glazed

PLUS

## UNDERCOUNTER WASHBASIN ARCHITECTURA



**Model number**


<b>4176 60</b>	540 x 340 mm
----------------	--------------

without tap hole area, with overflow, outside surface glazed

# Washbasins



## UNDERCOUNTER WASHBASIN ARCHITECTURA



### Model number


**4177 60**

540 x 340 mm

without tap hole area, with overflow, outside surface glazed



## HANDWASHBASIN ARCHITECTURA



### Model number

**4373 45**


450 x 380 mm

B	C	E	F	H	L
450	150	620	810	705	385

suitable for 1-hole tap fittings, tap hole punched out, with overflow



## HANDWASHBASIN ARCHITECTURA



### Model number

**4373 36**


360 x 260 mm

suitable for 1-hole tap fittings, tap hole punched out on right, with overflow

# Washbasins

PLUS

## HANDWASHBASIN ARCHITECTURA




Model number		B	C	E	F	H	L
4373 50	500 x 380 mm	500	200	605	800	700	430

suitable for 1-hole tap fittings, tap hole punched out, with overflow

PLUS

## WASHBASIN VITA ARCHITECTURA VITA



Model number		A	B	E	G	K	L
5178 60	600 x 555 mm, central tap hole punched out	555	600	650	600	370	435
5178 62	600 x 555 mm, 5 tap hole positions can be selected as required	555	600	650	600	370	435
5178 65	650 x 550 mm, 5 tap hole positions can be selected as required	550	650	630	590	375	480
5178 67	650 x 550 mm, central tap hole punched out	550	650	630	590	375	480


with overflow

### Accessories

trap cover

DESIGN

## WASHBASIN ARCHITECTURA VITA



Model number		A	B	F	G	H	K	L	R	S	T
5174 70	700 x 535 mm	535	700	790	590	710	385	460	590	640	600
5174 60	600 x 520 mm	520	600	790	585	705	375	410	585	650	590

suitable for 3-hole tap fittings, central tap hole punched out, with overflow


### Accessories

trap cover

# Washbasins



## SURFACE-MOUNTED WASHBASIN ARTIS




### Model number

<b>4179 43</b>	430 mm diameter
----------------	-----------------

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, without overflow



## SURFACE-MOUNTED WASHBASIN ARTIS




### Model number

<b>4198 61</b>	610 x 410 mm
----------------	--------------

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, without overflow



## SURFACE-MOUNTED WASHBASIN ARTIS



### Model number


<b>4172 58</b>	580 x 380 mm
----------------	--------------

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, without overflow

# Washbasins

PREMIUM

## SURFACE-MOUNTED WASHBASIN ARTIS




**Model number**

<b>4178 41</b>	410 x 410 mm
----------------	--------------

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, without overflow

DESIGN

## DOUBLE VANITY WASHBASIN AVENTO



**Model number**

<b>4A23 CK</b>	1200 x 470 mm
----------------	---------------


suitable for 2 3-hole tap fittings, central tap holes punched out, with overflow

**Accessories**

trap cover

DESIGN

## VANITY WASHBASIN AVENTO



**Model number**

Model number		B	L
<b>4156 A1</b>	1000 x 470 mm, suitable for 2 1-hole tap fittings, tap holes punched out, without overflow	1000	980
<b>4156 80</b>	800 x 470 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow	800	770


**Accessories**

pedestal, trap cover

# Washbasins

DESIGN

## WASHBASIN AVENTO



Model number		B	G	L
4158 65	650 x 470 mm	650	575	620
4158 60	600 x 470 mm	600	585	570


suitable for 3-hole tap fittings, central tap hole punched out, with overflow

### Accessories

pedestal, trap cover

DESIGN

## WASHBASIN COMPACT AVENTO



Model number	
4A00 55	550 x 370 mm


suitable for 1-hole tap fittings, tap hole punched out, with overflow

### Accessories

pedestal, trap cover

DESIGN

## SEMI-RECESSED WASHBASIN AVENTO




Model number	
4A06 55	550 x 440 mm

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

# Washbasins

DESIGN

## HANDWASHBASIN AVENTO



**Model number**

<b>7358 45</b>	450 x 370 mm
----------------	--------------


suitable for 1-hole tap fittings, tap hole punched out, with overflow

**Accessories**

pedestal, trap cover

DESIGN

## UNDERCOUNTER WASHBASIN EVANA




**Model number**

		A	B	I	K	L	M
<b>6144 00</b>	615 x 415 mm	475	675	150	415	615	215
<b>6147 00</b>	500 x 350 mm	410	570	140	350	500	220
<b>6147 46</b>	455 x 305 mm	365	520	125	305	455	190

without tap hole area, with overflow, outside surface glazed

PREMIUM

## DOUBLE WASHBASIN FINION



**Model number**


<b>4139 D5</b>	1300 x 470 mm
<b>4139 DK</b>	1300 x 470 mm, ground underside

suitable for 2 3-hole tap fittings, central tap holes punched out, with overflow

# Washbasins



## VANITY WASHBASIN FINION




### Model number

<b>4164 80</b>	800 x 500 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow
<b>4164 A0</b>	1000 x 500 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow
<b>4164 C1</b>	1200 x 500 mm, suitable for 2 1-hole tap fittings, tap holes punched out, without overflow
<b>4164 C5</b>	1200 x 500 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow
<b>4164 A1</b>	1000 x 500 mm, suitable for 2 1-hole tap fittings, tap holes punched out, without overflow



## WASHBASIN FINION




### Model number

<b>4168 1G</b>	1000 x 470 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow, ground underside
<b>4168 60</b>	600 x 470 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow
<b>4168 6G</b>	600 x 470 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow, ground underside
<b>4168 80</b>	800 x 470 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow
<b>4168 8G</b>	800 x 470 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow, ground underside
<b>4168 A1</b>	1000 x 470 mm, suitable for 2 1-hole tap fittings, tap holes punched out, without overflow
<b>4168 A5</b>	1000 x 470 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow

# Washbasins



## SURFACE-MOUNTED WASHBASIN FINION




**Model number**

<b>4142 60</b>	600 x 445 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow
<b>4143 61</b>	600 x 350 mm, for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, without overflow



## HANDWASHBASIN FINION




**Model number**

<b>4364 43</b>	430 x 390 mm
<b>4364 4L</b>	430 x 390 mm, ground underside

suitable for 1-hole tap fittings, tap hole punched out, without overflow



## SURFACE-MOUNTED WASHBASIN LOOP & FRIENDS



**Model number**


Model number		A	B	G	H	I	K	L	M
<b>5144 00</b>	430 mm diameter	430	430	570	690	215	390	390	120
<b>5148 00</b>	380 mm diameter	380	380	580	700	190	340	340	110

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, with overflow

# Washbasins

DESIGN

## SEMI-SURFACE MOUNTED WASHBASIN LOOP & FRIENDS




Model number		A	B	C	D	E	F	G	H	M	O
4114 00	430 mm diameter	430	430	390	390	215	690	570	690	120	347
4118 00	380 mm diameter	380	380	340	340	190	700	580	700	110	307

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, with overflow

DESIGN

## SURFACE-MOUNTED WASHBASIN LOOP & FRIENDS




Model number		A	B	G	H	I	K	L
5151 00	585 x 380 mm	380	585	580	700	190	340	545
5151 10	630 x 430 mm	430	630	570	690	215	390	590

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, with overflow

DESIGN

## SURFACE-MOUNTED WASHBASIN LOOP & FRIENDS




Model number	
5154 00	585 x 380 mm

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, with overflow

# Washbasins

DESIGN

## SURFACE-MOUNTED WASHBASIN LOOP & FRIENDS




Model number		A	B	G	H	I	K	L	M
5149 00	380 x 380 mm	380	380	580	700	190	340	340	110
5149 10	430 x 430 mm	430	430	570	695	215	390	390	120

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, with overflow

DESIGN

## BUILT-IN WASHBASIN LOOP & FRIENDS




Model number		A	B	E	G	H	I	K	L
6140 34	340 mm diameter	345	345	575	575	695	170	280	280
6140 39	390 mm diameter	390	390	560	560	680	195	330	330
6140 45	450 mm diameter	450	450	540	540	660	225	380	380
6140 51	535 mm diameter	535	535	510	510	630	267	440	440

without tap hole area, with overflow, outside surface glazed

# Washbasins

DESIGN

## BUILT-IN WASHBASIN LOOP & FRIENDS




Model number		A	B	E	G	H	I	K	L
6155 00	450 x 320 mm	320	450	580	580	700	160	255	385
6155 10	505 x 360 mm	360	505	560	560	680	180	285	439
6155 20	570 x 410 mm	410	570	530	530	650	205	325	485
6155 30	660 x 470 mm	470	660	515	515	635	235	380	570

without tap hole area, with overflow, outside surface glazed

DESIGN

## BUILT-IN WASHBASIN LOOP & FRIENDS




Model number		A	B	I	K	L
6145 00	600 x 405 mm	405	600	203	345	540
6145 10	510 x 340 mm	340	510	170	280	450
6145 20	675 x 450 mm	450	675	225	380	615

without tap hole area, with overflow, outside surface glazed

DESIGN

## BUILT-IN WASHBASIN LOOP & FRIENDS




Model number		A	B	E	G	H	I	K	L
6156 10	405 x 405 mm	405	405	560	560	680	200	340	340
6156 20	450 x 450 mm	450	450	535	535	655	225	380	380

without tap hole area, with overflow, outside surface glazed

# Washbasins


**UNDERCOUNTER WASHBASIN LOOP & FRIENDS**



Model number		A	B	I	K	L	M
<b>6180 28</b>	280 mm diameter	340	340	170	280	280	165
<b>6180 33</b>	330 mm diameter	390	390	195	330	330	185
<b>6180 38</b>	380 mm diameter	450	450	225	380	380	205
<b>6180 43</b>	440 mm diameter	525	525	263	440	440	225

without tap hole area, with overflow, outside surface glazed


**UNDERCOUNTER WASHBASIN LOOP & FRIENDS**



Model number		A	B	I	K	L	M	N
<b>6161 00</b>	385 x 255 mm	320	450	160	255	385	160	120
<b>6161 10</b>	430 x 285 mm	355	500	178	285	430	180	140
<b>6161 20</b>	485 x 325 mm	405	570	203	325	485	200	160
<b>6161 30</b>	560 x 375 mm	470	660	235	375	560	215	180

without tap hole area, with overflow, outside surface glazed

**UNDERCOUNTER WASHBASIN LOOP & FRIENDS**




Model number		A	B	I	K	L	M	N
<b>6163 00</b>	540 x 340 mm	405	600	203	340	540	180	120
<b>6163 10</b>	450 x 280 mm	340	510	170	280	450	160	115
<b>6163 20</b>	615 x 380 mm	450	675	225	380	615	175	140

without tap hole area, with overflow, outside surface glazed

# Washbasins

DESIGN

## UNDERCOUNTER WASHBASIN LOOP & FRIENDS




Model number		A	B	I	K	L	M	N
6162 10	340 x 340 mm	405	405	200	340	340	180	135
6162 20	380 x 380 mm	450	450	225	380	380	205	160

without tap hole area, with overflow, outside surface glazed

PREMIUM

## WASHBASIN MEMENTO




Model number	
5133 C4	1200 x 470 mm, suitable for 2 1-hole tap fittings, tap holes punched out
5133 C5	1200 x 470 mm, suitable for 3-hole tap fittings, central tap hole punched out

with overflow

PREMIUM

## WASHBASIN MEMENTO





Model number	
5133 CK	1200 x 470 mm, suitable for 2 1-hole tap fittings, tap holes punched out
5133 CL	1200 x 470 mm, suitable for 3-hole tap fittings, central tap hole punched out

with overflow, ground underside

# Washbasins



## WASHBASIN MEMENTO





**Model number**

<b>5133 A4</b>	1000 x 470 mm, suitable for 2 1-hole tap fittings, tap holes punched out
<b>5133 A5</b>	1000 x 470 mm, suitable for 3-hole tap fittings, central tap hole punched out with overflow



## WASHBASIN MEMENTO





**Model number**

<b>5133 AK</b>	1000 x 470 mm, suitable for 2 1-hole tap fittings, tap holes punched out
<b>5133 AL</b>	1000 x 470 mm, suitable for 3-hole tap fittings, central tap hole punched out with overflow, ground underside



## WASHBASIN MEMENTO




**Model number**

<b>5133 85</b>	800 x 470 mm
<b>5133 8L</b>	800 x 470 mm, ground underside suitable for 3-hole tap fittings, central tap hole punched out, with overflow

# Washbasins

PREMIUM

## WASHBASIN MEMENTO




### Model number

<b>5133 60</b>	600 x 420 mm
<b>5133 6L</b>	600 x 420 mm, ground underside
<b>5133 50</b>	500 x 420 mm
<b>5133 5L</b>	500 x 420 mm, ground underside

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

PREMIUM

## SEMI-RECESSED WASHBASIN MEMENTO




### Model number

<b>4133 55</b>	550 x 425 mm
----------------	--------------

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

PREMIUM

## SURFACE-MOUNTED WASHBASIN MEMENTO



### Model number


Model number		B	E	K	L
<b>5135 50</b>	500 x 420 mm	500	550	265	470
<b>5135 60</b>	600 x 420 mm	600	615	270	565

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

# Washbasins



## HANDWASHBASIN MEMENTO




**Model number**

<b>5333 41</b>	400 x 260 mm
<b>5333 4G</b>	400 x 260 mm, ground underside

suitable for 1-hole tap fittings, tap hole punched out, without overflow



## SURFACE-MOUNTED WASHBASIN MEMENTO 2.0




**Model number**

<b>4A07 60</b>	600 x 420 mm, with overflow
<b>4A07 61</b>	600 x 420 mm, without overflow
<b>4A07 50</b>	500 x 420 mm, with overflow
<b>4A07 51</b>	500 x 420 mm, without overflow

suitable for 3-hole tap fittings, central tap hole punched out



## WASHBASIN O.NOVO



**Model number**

Model number		A	B	K	L
<b>5160 55</b>	550 x 450 mm	450	550	280	475
<b>5160 60</b>	600 x 490 mm	490	600	315	525
<b>5160 65</b>	650 x 510 mm	510	650	330	565

suitable for 3-hole tap fittings, central tap hole punched out, with overflow


**Accessories**

pedestal, trap cover

# Washbasins

## WASHBASIN COMPACT 0.NOVO

START



### Model number

Model number		A	B	H	K	L
5166 55	550 x 370 mm	370	550	675	220	480


suitable for 3-hole tap fittings, central tap hole punched out, with overflow

### Accessories

pedestal

## SEMI-RECESSED WASHBASIN 0.NOVO

START




### Model number

4160 55	550 x 450 mm
---------	--------------

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

## BUILT-IN WASHBASIN 0.NOVO

START




### Model number

4161 56	560 x 405 mm
---------	--------------

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

# Washbasins


## UNDERCOUNTER WASHBASIN O.NOVO



Model number		A	B	I	K	L	M	P
4162 50	530 x 320 mm	370	580	145	320	530	200	150
4162 60	600 x 350 mm	400	650	165	350	600	208	160

without tap hole area, with overflow

## HANDWASHBASIN COMPACT O.NOVO




Model number		A	B	E	F	G	H	K	L	O	P
5360 45	450 x 350 mm	350	450	625	595	575	695	220	390	625	575
5360 50	500 x 400 mm	400	500	620	590	570	690	260	430	620	570

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

### Accessories

pedestal, trap cover

## HANDWASHBASIN COMPACT O.NOVO




Model number	
5360 36	360 x 275 mm

suitable for 1-hole tap fittings, pre-punched tap holes on sides, with overflow

# Washbasins

## HANDWASHBASIN COMPACT O.NOVO

START



### Model number


5361 50

500 x 250 mm

suitable for 1-hole tap fittings, pre-punched tap holes on sides, with overflow

## CORNER HANDWASHBASIN O.NOVO

START



### Model number


7310 32

320 mm side length

suitable for 1-hole tap fittings, tap hole punched out, with overflow

## CORNER HANDWASHBASIN COMPACT O.NOVO

START



### Model number


7327 40

415 mm side length

suitable for 1-hole tap fittings, tap hole punched out, with overflow

## WASHBASIN VITA O.NOVO VITA

START



### Model number

4120 80

800 x 550 mm, suitable for 3-hole tap fittings, central tap hole punched out


4120 82

800 x 550 mm, 3 tap hole positions can be selected as required

with overflow


# Washbasins

**START** WASHBASIN VITA 0.NOVO VITA



Model number		B	E	G	H	L
4119 55	560 x 550 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow	560	660	580	700	420
4119 57	560 x 550 mm, 3 tap hole positions can be selected as required, without overflow	560	660	580	700	420
4119 60	610 x 550 mm, suitable for 3-hole tap fittings, central tap hole punched out, with overflow	610	650	580	700	460
4119 62	610 x 550 mm, 3 tap hole positions can be selected as required, with overflow	610	650	580	700	460


**START** WASHBASIN VITA 0.NOVO VITA



Model number	A	B	E	F	G	H	I	K	L	S	T
7119 63	490	600	510	805	510	640	170	330	510	610	530
7119 64	490	600	510	805	510	640	170	330	510	610	530

with overflow

**DESIGN** DOUBLE VANITY WASHBASIN SUBWAY 2.0



Model number	
7175 D0	1300 x 470 mm

suitable for 2 3-hole tap fittings, central tap holes punched out, with overflow


**Accessories**

pedestal, trap cover

# Washbasins

DESIGN

## VANITY WASHBASIN SUBWAY 2.0



**Model number**

**7176 D0** 1300 x 470 mm


suitable for 3-hole tap fittings, central tap hole punched out, with overflow

**Accessories**

pedestal, trap cover

DESIGN

## VANITY WASHBASIN SUBWAY 2.0




**Model number**

**7176 D2** 1300 x 470 mm

suitable for 2 1-hole tap fittings, tap holes punched out, with overflow

DESIGN

## VANITY WASHBASIN SUBWAY 2.0



**Model number**

**7175 80** 800 x 470 mm

**B K L**

800 300 500

**7175 A0** 1000 x 470 mm

1000 305 550

suitable for 3-hole tap fittings, central tap hole punched out, with overflow


**Accessories**

pedestal, trap cover

# Washbasins

DESIGN

## WASHBASIN SUBWAY 2.0



Model number		A	B	H	I	K	L	M	N
7113 55	550 x 440 mm	440	550	705	200	280	430	70	100
7113 60	600 x 470 mm	470	600	700	215	300	465	55	105
7113 65	650 x 470 mm	470	650	700	215	300	500	60	105


suitable for 3-hole tap fittings, central tap hole punched out, with overflow

### Accessories

pedestal, trap cover

DESIGN

## WASHBASIN SUBWAY 2.0




Model number		A	B	H	I	K	L
7113 F0	600 x 470 mm	470	600	700	215	305	465
7113 F5	550 x 440 mm	440	550	705	200	280	430
7113 FA	650 x 470 mm	470	650	700	215	300	500

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

DESIGN

## WASHBASIN SUBWAY 2.0




Model number		A	B	K	L
7113 KG	650 x 470 mm	470	650	300	500
7113 6G	600 x 470 mm	470	600	305	465

suitable for 3-hole tap fittings, central tap hole punched out, with overflow, ground underside

# Washbasins

DESIGN

## WASHBASIN SUBWAY 2.0



**Model number**

<b>4115 6R</b>	630 x 355 mm
<b>4115 6L</b>	630 x 355 mm


suitable for 1-hole tap fittings, tap hole punched out, without overflow

**Accessories**

pedestal, trap cover

DESIGN

## WASHBASIN SUBWAY 2.0



**Model number**

Model number		A	B	G	H	I	K	L	N
<b>7114 55</b>	550 x 460 mm	460	550	580	705	200	305	430	65
<b>7114 60</b>	600 x 490 mm	490	600	570	690	215	330	465	60
<b>7114 65</b>	650 x 490 mm	490	650	580	700	215	325	510	65


suitable for 3-hole tap fittings, central tap hole punched out, with overflow

**Accessories**

pedestal, trap cover

DESIGN

## WASHBASIN SUBWAY 2.0



**Model number**


Model number		A	B	H	I	K	L
<b>7114 F0</b>	600 x 490 mm	490	600	690	215	330	465
<b>7114 F5</b>	550 x 460 mm	460	550	705	200	305	430
<b>7114 FA</b>	650 x 490 mm	490	650	700	215	325	510

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

# Washbasins

DESIGN

## WASHBASIN SUBWAY 2.0




**Model number**

<b>7114 6G</b>	600 x 490 mm
----------------	--------------

suitable for 3-hole tap fittings, central tap hole punched out, with overflow, ground underside

DESIGN

## HANDWASHBASIN SUBWAY 2.0



**Model number**

		A	B	I	K	L
<b>7315 45</b>	450 x 370 mm	370	450	180	230	350
<b>7315 50</b>	500 x 400 mm	400	500	185	250	385


suitable for 1-hole tap fittings, tap hole punched out, with overflow

**Accessories**

pedestal, trap cover

DESIGN

## HANDWASHBASIN SUBWAY 2.0



**Model number**


		A	B	I	K	L
<b>7315 F0</b>	500 x 400 mm	400	500	185	250	385
<b>7315 F5</b>	450 x 370 mm	370	450	180	230	350

suitable for 1-hole tap fittings, tap hole punched out, with overflow

# Washbasins

DESIGN

## HANDWASHBASIN SUBWAY 2.0




**Model number**

<b>7315 5G</b>	500 x 400 mm
----------------	--------------

suitable for 1-hole tap fittings, tap hole punched out, with overflow, ground under-side

DESIGN

## HANDWASHBASIN SUBWAY 2.0




**Model number**

<b>7317 37</b>	370 x 305 mm
----------------	--------------

suitable for 1-hole tap fittings, tap hole punched out, with overflow

DESIGN

## CORNER HANDWASHBASIN SUBWAY 2.0



**Model number**


<b>7319 45</b>	320 mm side length
----------------	--------------------

suitable for 1-hole tap fittings, tap hole punched out, with overflow

# Washbasins

DESIGN

## DOUBLE VANITY WASHBASIN VENTICELLO




### Model number

<b>4111 DL</b>	1300 x 500 mm
suitable for 2 3-hole tap fittings, central tap holes punched out, with overflow	

DESIGN

## VANITY WASHBASIN VENTICELLO




### Model number

<b>4104 CK</b>	1200 x 500 mm, suitable for 2 1-hole tap fittings, tap holes punched out
<b>4104 CL</b>	1200 x 500 mm, suitable for 3-hole tap fittings, central tap hole punched out
with overflow	

DESIGN

## VANITY WASHBASIN VENTICELLO




### Model number

<b>4104 AK</b>	1000 x 500 mm, suitable for 2 1-hole tap fittings, tap holes punched out
<b>4104 AL</b>	1000 x 500 mm, suitable for 3-hole tap fittings, central tap hole punched out
with overflow	

# Washbasins

DESIGN

## VANITY WASHBASIN VENTICELLO



### Model number


4134 L1

1000 x 500 mm

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

DESIGN

## VANITY WASHBASIN VENTICELLO



### Model number


4134 R2

1000 x 500 mm

suitable for 3-hole tap fittings, central tap hole punched out, without overflow

DESIGN

## VANITY WASHBASIN VENTICELLO



### Model number


4104 8L

800 x 500 mm

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

DESIGN

## WASHBASIN VENTICELLO



### Model number

4124 60

600 x 500 mm

4124 65


650 x 500 mm

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

# Washbasins

DESIGN

## WASHBASIN VENTICELLO




**Model number**

**4124 G6** | 600 x 500 mm

suitable for 3-hole tap fittings, central tap hole punched out, with overflow, ground underside

DESIGN

## SEMI-SURFACE MOUNTED WASHBASIN VENTICELLO




**Model number**

**4113 55** | 550 x 360 mm

for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, with overflow

DESIGN

## HANDWASHBASIN VENTICELLO



**Model number**

**4124 50** | 500 x 420 mm

suitable for 1-hole tap fittings, tap hole punched out, with overflow

# 04

## Toilets & Bidets



A white ceramic toilet with a closed lid, sitting on a wooden pallet. The toilet is a modern, square-style design. The pallet it sits on has some markings, including the number '11' and a logo that appears to be 'EUR'.


A complex industrial mechanical system consisting of numerous vertical and horizontal pipes, valves, and cylindrical components. The pipes are made of metal and some have insulation. Several valves with red handwheels are visible. There are also pressure gauges and various fittings throughout the system. The overall appearance is that of a well-used, possibly aged, industrial facility.

A small, circular metal flange or fitting lying on the floor in the foreground. It has a central hole and a flared edge.

# Toilets & Bidets

PREMIUM

## WASHDOWN WC, RIMLESS ANTHEUS



### Model number


<b>4608 R0</b>	375 x 560 mm
----------------	--------------

### Accessories

WC-seat and cover

PLUS

## WASHDOWN WC, RIMLESS ARCHITECTURA



### Model number


<b>5684 R0</b>	370 x 530 mm
----------------	--------------

### Accessories

WC-seat and cover, WC-seat and cover SlimSeat, seat

PLUS

## WASHDOWN WC ARCHITECTURA



### Model number

<b>5684 10</b>	370 x 530 mm
----------------	--------------


### Accessories

WC-seat and cover, WC-seat and cover SlimSeat, seat

# Toilets & Bidets



## WASHDOWN WC, RIMLESS ARCHITECTURA



**Model number**


**5685 R0** | 370 x 530 mm

**Accessories**

WC-seat and cover, WC-seat and cover SlimSeat



## WASHDOWN WC COMPACT, RIMLESS ARCHITECTURA



**Model number**


**4687 R0** | 350 x 480 mm

**Accessories**

WC-seat and cover compact



## WASHDOWN WC XL, RIMLESS ARCHITECTURA



**Model number**

**4688 R0** | 410 x 580 mm


**Accessories**

WC-seat and cover

# Toilets & Bidets

PLUS

## WASHDOWN WC ARCHITECTURA



**Model number**


<b>5674 10</b>	370 x 560 mm
----------------	--------------

**Accessories**

WC-seat and cover, WC-seat and cover SlimSeat, seat

PLUS

## WASHDOWN WC, RIMLESS ARCHITECTURA



**Model number**


<b>5690 R0</b>	370 x 540 mm
----------------	--------------

**Accessories**

WC-seat and cover, WC-seat and cover SlimSeat

PLUS

## WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE ARCHITECTURA



**Model number**

<b>5686 10</b>	370 x 700 mm
----------------	--------------


**Accessories**

WC-seat and cover, WC-seat and cover SlimSeat, cistern

# Toilets & Bidets

PLUS

## WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE ARCHITECTURA



**Model number**


**5687 10** | 370 x 700 mm

**Accessories**

WC-seat and cover, WC-seat and cover SlimSeat, cistern

PLUS

## WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE ARCHITECTURA



**Model number**


**5683 10** | 370 x 690 mm

**Accessories**

WC-seat and cover, WC-seat and cover SlimSeat, cistern

PLUS

## WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE, RIMLESS ARCHITECTURA



**Model number**

**5691 R0** | 370 x 700 mm


**Accessories**

WC-seat and cover, WC-seat and cover SlimSeat, cistern

# Toilets & Bidets



## ONE-PIECE WC ARCHITECTURA



### Model number


<b>5689 A0</b>	370 x 720 mm
----------------	--------------

### Accessories

WC-seat and cover, WC-seat and cover SlimSeat



## WASHDOWN WC VITA ARCHITECTURA VITA



### Model number


<b>5678 10</b>	370 x 710 mm
----------------	--------------

### Accessories

WC-seat and cover Vita, seat



## WASHDOWN WC VITA ARCHITECTURA VITA



### Model number

<b>5649 R0</b>	370 x 700 mm
----------------	--------------


### Accessories

WC-seat and cover Vita, seat

# Toilets & Bidets

DESIGN

## WC COMPLETE AVENTO




**Model number**

5656 HR

Washdown WC DirectFlush 5656 R0 XX, WC-seat with QuickRelease and SoftClosing hinges 9M77 C1 01

DESIGN

## WC COMPLETE AVENTO




**Model number**

5656 RS

Washdown WC DirectFlush 5656 R0 XX, SlimSeat with QuickRelease and SoftClosing hinges 9M87 S1 01

PREMIUM

## WASHDOWN WC, RIMLESS FINION



**Model number**

4664 R0

375 x 560 mm


**Accessories**

WC-seat and cover

# Toilets & Bidets

PREMIUM

## WASHDOWN WC MEMENTO



### Model number


**5628 10** 375 x 560 mm

### Accessories

WC-seat and cover

START

## WASHDOWN WC, RIMLESS 0.NOVO



### Model number


**5660 R0** 360 x 560 mm

### Accessories

WC-seat and cover

START

## WASHDOWN WC 0.NOVO



### Model number

**5660 10** 360 x 560 mm


### Accessories

WC-seat and cover

# Toilets & Bidets



## WASHDOWN WC COMPACT, RIMLESS O.NOVO



**Model number**


**5688 R0** | 360 x 490 mm

**Accessories**

WC-seat and cover



## WASHDOWN WC COMPACT O.NOVO



**Model number**


**5688 10** | 360 x 490 mm

**Accessories**

WC-seat and cover



## WASH-OUT WC O.NOVO



**Model number**

**5662 10** | 360 x 560 mm


**Accessories**

WC-seat and cover

# Toilets & Bidets

START

## WASHDOWN WC 0.NOVO



**Model number**


<b>7682 10</b>	360 x 540 mm
----------------	--------------

**Accessories**

WC-seat and cover

START

## WASHDOWN WC 0.NOVO




**Model number**

<b>7677 10</b>	360 x 550 mm
----------------	--------------

without holes for WC-seat and cover, with ceramic seat rim

START

## WASHDOWN WC 0.NOVO



	A	O	U	*
90°	570	10	125	70
8701	570	10	125	110
8701	650	90	205	150 - 210
8711	650	90	205	70 - 150

**Model number**


<b>5657 10</b>	360 x 560 mm
----------------	--------------

**Accessories**

WC-seat and cover, WC-seat and cover Vita

# Toilets & Bidets

**WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE 0.NOVO**




**Model number**

<b>5658 10</b>	360 x 640 mm
<b>5658 50</b>	360 x 650 mm

**Accessories**

WC-seat and cover, cistern

**WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE, RIMLESS 0.NOVO**




**Model number**

<b>5661 R0</b>	360 x 670 mm
----------------	--------------

**Accessories**

WC-seat and cover, cistern

**WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE 0.NOVO**



**Model number**

<b>5661 01</b>	360 x 670 mm
<b>5661 10</b>	360 x 670 mm


**Accessories**

WC-seat and cover, cistern

# Toilets & Bidets

## WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE, RIMLESS COMPACT O.NOVO

START



### Model number


<b>5689 R0</b>	360 x 610 mm
----------------	--------------

### Accessories

WC-seat and cover, cistern

## WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE O.NOVO

START



### Model number


<b>6623 10</b>	355 x 680 mm
----------------	--------------

### Accessories

WC-seat and cover, cistern

## WASHDOWN WC O.NOVO

START



### Model number

<b>7618 01</b>	355 x 455 mm
----------------	--------------


<b>7618 10</b>	355 x 455 mm
----------------	--------------

### Accessories

WC-seat and cover

# Toilets & Bidets

**WASH-OUT WC O.NOVO**




**Model number**

<b>7619 01</b>	355 x 465 mm
<b>7619 10</b>	355 x 465 mm

**Accessories**

WC-seat and cover

**WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE O.NOVO**




**Model number**

<b>5648 10</b>	360 x 710 mm
----------------	--------------

**Accessories**

WC-seat and cover, cistern

**WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE O.NOVO**



**Model number**

<b>4606 R0</b>	360 x 665 mm
----------------	--------------


**Accessories**

WC-seat and cover

# Toilets & Bidets

## WASHDOWN WC, RIMLESS O.NOVO VITA

START



### Model number


<b>4695 R0</b>	360 x 595 mm
----------------	--------------

### Accessories

WC-seat and cover, WC-seat and cover Vita

## WASHDOWN WC VITA, RIMLESS O.NOVO VITA

START



### Model number


<b>4601 R0</b>	360 x 700 mm
----------------	--------------

### Accessories

WC-seat and cover Vita

## WASHDOWN WC VITA O.NOVO VITA

START



### Model number

<b>4683 10</b>	355 x 480 mm
----------------	--------------


### Accessories

WC-seat and cover Vita, WC-seat and cover

# Toilets & Bidets

START

## WASH-OUT WC VITA O.NOVO VITA



**Model number**


**4684 10** | 360 x 480 mm

**Accessories**

WC-seat and cover Vita, WC-seat and cover

START

## WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE, RIMLESS VITA O.NOVO VITA



**Model number**


**4620 R0** | 360 x 710 mm

**Accessories**

WC-seat and cover, WC-seat and cover Vita, cistern

DESIGN

## WASHDOWN WC, RIMLESS SUBWAY 2.0



**Model number**

**5614 R0** | 370 x 560 mm


**Accessories**

WC-seat and cover, WC-seat and cover SlimSeat, seat

# Toilets & Bidets

DESIGN

## WASHDOWN WC, RIMLESS SUBWAY 2.0



### Model number

<b>5614 A1</b>	370 x 560 mm
----------------	--------------


incl. ViFresh technology

### Accessories

WC-seat and cover, WC-seat and cover SlimSeat, seat

DESIGN

## WASHDOWN WC SUBWAY 2.0



### Model number


<b>5600 10</b>	370 x 560 mm
----------------	--------------

### Accessories

WC-seat and cover, WC-seat and cover SlimSeat, seat

DESIGN

## WASHDOWN WC COMPACT, RIMLESS SUBWAY 2.0



### Model number

<b>5606 R0</b>	355 x 480 mm
----------------	--------------


### Accessories

WC-seat and cover compact

# Toilets & Bidets

DESIGN

## WASHDOWN WC COMPACT SUBWAY 2.0



**Model number**


**5606 10** | 355 x 480 mm

**Accessories**

WC-seat and cover compact

DESIGN

## WASHDOWN WC COMFORT, RIMLESS SUBWAY 2.0



**Model number**


**4609 R0** | 410 x 580 mm

**Accessories**

WC-seat and cover comfort

DESIGN

## WASHDOWN WC, RIMLESS SUBWAY 2.0



**Model number**

**5602 R0** | 370 x 560 mm


**Accessories**

WC-seat and cover, WC-seat and cover SlimSeat, seat

# Toilets & Bidets

DESIGN

## WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE, RIMLESS SUBWAY 2.0



### Model number


<b>5617 R0</b>	370 x 700 mm
----------------	--------------

### Accessories

WC-seat and cover, WC-seat and cover SlimSeat, seat, cistern

PLUS

## ONE-PIECE WC UNO



### Model number


<b>6680 AS</b>	380 x 755 mm
----------------	--------------

consisting of: siphonic WC, floor-standing, vertical outlet, concealed trapway, preferred height 12" (305 mm) rough-in integral cistern with single flush mechanism with push button in chrome, standard bottom inlet, WC-seat and cover with QuickRelease and SoftClosing hinges 9M30 S1 01, fastening set

# Toilets & Bidets

DESIGN

## WASHDOWN WC, RIMLESS VENTICELLO



**Model number**


<b>4611 R0</b>	375 x 560 mm
----------------	--------------

**Accessories**

WC-seat and cover SlimSeat (Wrapover), WC-seat and cover SlimSeat Line (Sandwich), WC-seat and cover

DESIGN

## WASHDOWN WC, RIMLESS VENTICELLO



**Model number**


<b>4613 R0</b>	375 x 560 mm
----------------	--------------

**Accessories**

WC-seat and cover SlimSeat (Wrapover), WC-seat and cover SlimSeat Line (Sandwich), WC-seat and cover

DESIGN

## WASHDOWN WC FOR CLOSE-COUPLED WC-SUITE, RIMLESS VENTICELLO



**Model number**

<b>4612 R0</b>	375 x 700 mm
----------------	--------------


**Accessories**

WC-seat and cover SlimSeat (Wrapover), WC-seat and cover SlimSeat Line (Sandwich), WC-seat and cover, cistern

# Toilets & Bidets

DESIGN

## SHOWER-TOILET, WASH-DOWN TOILET, RIMLESS VICLEAN




**Model number**

**VOE1 00** 385 x 595 mm

ViClean-I 100 shower toilet, 385 x 595 x 400 mm, 220-240 V AC / 50 Hz, incl. remote control, seat with lid

DESIGN

## VICLEAN WASH-DOWN WC, RIMLESS SUBWAY 2.0



**Model number**

**5614 R5** 370 x 560 mm


only for ViClean-L smart toilet seat

**Accessories**

electronic bidet seat

DESIGN

## VICLEAN WASHDOWN WC CLOSE-COUPLED, RIMLESS SUBWAY 2.0



**Model number**

**5617 R5** 370 x 700 mm

only for ViClean-L smart toilet seat


**Accessories**

electronic bidet seat, cistern

# Toilets & Bidets

DESIGN

## VICLEAN WASH-DOWN WC, RIMLESS SUBWAY 2.0



**Model number**

**5614 R4** | 370 x 560 mm


only for ViClean-U+ electronic bidet seat

**Accessories**

electronic bidet seat

PLUS

## BIDET ARCHITECTURA




**Model number**

**5484 00** | 370 x 530 mm

suitable for 1-hole tap fittings, tap hole punched out, with overflow

PLUS

## BIDET ARCHITECTURA



**Model number**


**4485 00** | 370 x 530 mm

suitable for 1-hole tap fittings, tap hole punched out, with overflow

# Toilets & Bidets

PLUS

## BIDET ARCHITECTURA




### Model number

<b>4486 00</b>	370 x 550 mm
----------------	--------------

suitable for 1-hole tap fittings, tap hole punched out, with overflow

DESIGN

## BIDET AVENTO




### Model number

<b>5405 00</b>	370 x 530 mm
----------------	--------------

suitable for 1-hole tap fittings, tap hole punched out, with overflow

PREMIUM

## BIDET FINION



### Model number


<b>4465 00</b>	375 x 560 mm
----------------	--------------

suitable for 1-hole tap fittings, tap hole punched out, with overflow

# Toilets & Bidets

PREMIUM

## BIDET MEMENTO




**Model number**

**5428 00** | 375 x 560 mm

suitable for 1-hole tap fittings, tap hole punched out, with overflow

START

## BIDET O.NOVO




**Model number**

**5460 00** | 360 x 560 mm

suitable for 1-hole tap fittings, tap hole punched out, with overflow

START

## BIDET O.NOVO



**Model number**


**5461 00** | 360 x 560 mm

suitable for 1-hole tap fittings, tap hole punched out, with overflow

# Toilets & Bidets

DESIGN

## BIDET SUBWAY 2.0



### Model number


<b>5400 00</b>	370 x 565 mm
----------------	--------------

<b>5406 00</b>	355 x 480 mm
----------------	--------------

suitable for 1-hole tap fittings, tap hole punched out, with overflow

DESIGN

## BIDET SUBWAY 2.0




### Model number

<b>5401 00</b>	370 x 560 mm
----------------	--------------

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

DESIGN

## BIDET VENTICELLO



### Model number


<b>4411 00</b>	375 x 560 mm
----------------	--------------

suitable for 1-hole tap fittings, tap hole punched out, with overflow

# Toilets & Bidets

DESIGN

## BIDET VENTICELLO



**Model number**

<b>4412 00</b>	375 x 560 mm
----------------	--------------

suitable for 3-hole tap fittings, central tap hole punched out, with overflow

05

# Urinals



MEISTERBÜROS


MASCH. TECHN. ABTEILUNG

FUR

# Urinals



## SIPHONIC URINAL ARCHITECTURA




**Model number**

**5586 00** 325 x 680 x 355 mm

with ViChange replacement cartridge



## SIPHONIC URINAL ARCHITECTURA




**Model number**

**5587 00** 325 x 680 x 355 mm

with ViChange replacement cartridge



## SIPHONIC URINAL ARCHITECTURA



**Model number**


**5573 00** 355 x 620 x 385 mm

splash-reducing

# Urinals

PLUS

## SIPHONIC URINAL ARCHITECTURA




**Model number**

<b>5574 00</b>	355 x 620 x 385 mm
	splash-reducing

DESIGN

## SIPHONIC URINAL VENTICELLO




**Model number**

<b>5504 R0</b>	285 x 545 x 315 mm
----------------	--------------------

START

## SIPHONIC URINAL O.NOVO




**Model number**

<b>7526 00</b>	300 x 530 x 310 mm
----------------	--------------------

# Urinals

START

## SIPHONIC URINAL O.NOVO




**Model number**

<b>7527 00</b>	300 x 530 x 310 mm
----------------	--------------------

START

## SIPHONIC URINAL COMPACT O.NOVO




**Model number**

<b>7557 00</b>	290 x 495 x 245 mm
----------------	--------------------

START

## SIPHONIC URINAL O.NOVO




**Model number**

<b>7502 00</b>	360 x 590 x 360 mm
<b>7503 00</b>	360 x 610 x 360 mm
<b>7504 00</b>	360 x 590 x 360 mm

# Urinals

START

## SIPHONIC URINAL 0.NOVO




**Model number**

**7507 00** | 285 x 515 x 310 mm

START

## SIPHONIC URINAL 0.NOVO




**Model number**

**7508 00** | 290 x 520 x 320 mm

START

## SIPHONIC URINAL 0.NOVO




**Model number**

**7523 00** | 335 x 560 x 320 mm

# Urinals

## SIPHONIC URINAL O.NOVO

START




### Model number

7524 00	335 x 560 x 320 mm
---------	--------------------

## SIPHONIC URINAL SUBWAY

DESIGN




### Model number

7513 00	285 x 535 x 315 mm
---------	--------------------

## AQUAZERO URINAL SUBWAY

DESIGN




### Model number

7517 00	305 x 565 x 350 mm
---------	--------------------

# Urinals

DESIGN

## SIPHONIC URINAL VENTICELLO



### Model number

5504 R0

285 x 545 x 315 mm

06


# Shower trays



# Shower trays

PLUS

## SHOWER TRAY ARCHITECTURA




**Model description**

12 different models from 800 - 1000 mm (A) to 800 - 1000 mm (B)  
also available with slip-resistant finish

PLUS

## SHOWER TRAY ARCHITECTURA




**Model description**

112 different models from 800 - 1000 mm (A) to 700 - 1000 mm (B)  
also available with slip-resistant finish

DESIGN

## SHOWER TRAY FUTURION FLAT



**Model number**


	A	B	C
UDQ0900FFL1V	900	900	17

square

# Shower trays

DESIGN


## SHOWER TRAY FUTURION FLAT



Model number		A	B	C
<b>UDQ180FFL2V</b>	1000 x 800 mm	1000	800	17
rectangular				

DESIGN

## SHOWER TRAY FUTURION FLAT




Model number		A	B	C
<b>UDQ1280FFL2V</b>	1200 x 800 mm	1200	800	17
<b>UDQ1290FFL2V</b>	1200 x 900 mm	1200	900	17
<b>UDQ1490FFL2V</b>	1400 x 900 mm	1400	900	17
<b>UDQ1510FFL2V</b>	1500 x 1000 mm	1500	1000	17
<b>UDQ1690FFL2V</b>	1600 x 900 mm	1600	900	17
rectangular				

# Shower trays

DESIGN

## SHOWER TRAY LIFETIME PLUS




Model number		A	B	K	L	N	T
6223 S4	1400 x 900 x 35 mm	900	1400	800	1300	450	18
6223 S3	1400 x 800 x 35 mm	800	1400	700	1300	400	18
6223 N4	1200 x 900 x 35 mm	900	1200	800	1100	450	18
6223 N3	1200 x 800 x 35 mm	800	1200	700	1100	400	18
6223 J3	1000 x 800 x 35 mm	800	1000	700	900	400	18

rectangle, extra-flat design for surface-mounting or flush-fit installation

DESIGN

## SHOWER TRAY LIFETIME PLUS




Model number		A	B	K	L	N	T
6223 J5	1000 x 1000 x 35 mm	1000	1000	900	900	500	18
6223 D4	900 x 900 x 35 mm	900	900	700	700	450	18
6223 B3	800 x 800 x 35 mm	800	800	700	700	400	18

square, extra-flat design for surface-mounting or flush-fit installation

# Shower trays

START

## SHOWER TRAY O.NOVO PLUS




Model number		A	B	C	D
6210 G4	1200 x 900 x 60 mm	1200	900	1080	780
6210 K3	1200 x 800 x 60 mm	1200	800	1100	700
6210 G3	1000 x 800 x 60 mm	1000	800	900	700
6210 D2	900 x 750 x 60 mm	900	750	800	650
6210 D1	900 x 700 x 60 mm	900	700	800	600

rectangle, suitable for surface-mounted or flush-fit installation

START

## SHOWER TRAY O.NOVO PLUS




Model number		A	B	K	L
6210 G5	1000 x 1000 x 60 mm	1000	1000	900	900
6210 D4	900 x 900 x 60 mm	900	900	800	800
6210 C3	800 x 800 x 60 mm	800	800	700	700

square, suitable for surface-mounted or flush-fit installation

# Shower trays

## CORNER SHOWER TRAY O.NOVO PLUS

START




Model number		A	B	K	L
<b>6213 G5</b>	1000 x 1000 x 60 mm	1000	1000	900	900
<b>6213 D4</b>	900 x 900 x 60 mm	900	900	800	800
<b>6213 C3</b>	800 x 800 x 60 mm	800	800	700	700

quarter circle, suitable for surface-mounted or flush-fit installation

## SHOWER TRAY O.NOVO

START




Model number		A	B	K	L
<b>6061 80</b>	1000 x 800 x 60 mm	1000	800	880	680
<b>6062 90</b>	1200 x 900 x 60 mm	1200	900	1080	780

rectangle, suitable for surface-mounted or flush-fit installation

## SHOWER TRAY O.NOVO

START




Model number		A	B	K	L
<b>6222 12</b>	1200 x 800 x 60 mm	1200	800	1100	700

rectangle, suitable for surface-mounted or flush-fit installation

# Shower trays

START

## SHOWER TRAY O.NOVO




Model number		A	B	K	L
6060 10	1000 x 1000 x 60 mm	1000	1000	890	890
6221 90	900 x 900 x 60 mm	900	900	800	800

square, suitable for surface-mounted or flush-fit installation

START

## SHOWER TRAY O.NOVO




Model number	
6215 80	800 x 800 x 65 mm

square, suitable for surface-mounted or flush-fit installation

START

## SHOWER TRAY O.NOVO




Model number		A	B	K	L
6028 A7	700 x 700 x 100 mm	700	700	470	470

square, surface-mounted

# Shower trays

START

## CORNER SHOWER TRAY O.NOVO




**Model number**

<b>6209 90</b>	900 x 900 x 55 mm
----------------	-------------------

quarter circle, suitable for surface-mounted or flush-fit installation

START

## SHOWER TRAY O.NOVO




**Model number**

		<b>A</b>	<b>B</b>	<b>C</b>
<b>UDA0806DEN1V</b>	800 x 800 mm	800	800	60
<b>UDA0906DEN1V</b>	900 x 900 mm	900	900	60
<b>UDA1006DEN1V</b>	1000 x 1000 mm	1000	1000	60

square

START

## SHOWER TRAY O.NOVO



**Model number**


		<b>A</b>	<b>B</b>	<b>C</b>
<b>UDA1296DEN2V</b>	1200 x 900 mm	1200	900	60
<b>UDA1806DEN2V</b>	1000 x 800 mm	1000	800	60
<b>UDA9806DEN2V</b>	900 x 800 mm	900	800	60

rectangular

# Shower trays

START

## SHOWER TRAY O.NOVO




Model number		A	B	C
<b>UDA0906DEN4V</b>	900 x 900 mm	900	900	60

quarter circle

PREMIUM

## SHOWER TRAY SQUARO




Model number		A	B	C
<b>UDQ0910SQR1V</b>	900 x 900 mm	900	900	18
<b>UDQ1010SQR1V</b>	1000 x 1000 mm	1000	1000	18

square, SuperFlat

PREMIUM

## SHOWER TRAY SQUARO




Model number		A	B	C
<b>UDQ1490SQR2V</b>	1400 x 900 mm	1400	900	18
<b>UDQ1690SQR2V</b>	1600 x 900 mm	1600	900	18
<b>UDQ1780SQR2V</b>	1700 x 800 mm	1700	800	18
<b>UDQ1890SQR2V</b>	1800 x 900 mm	1800	900	18

rectangular, SuperFlat

# Shower trays

PREMIUM


## SHOWER TRAY SQUARO



Model number		A	B	C
<b>UDQ1290SQR2V</b>	1200 x 900 mm	1200	900	18
rectangular, SuperFlat				

DESIGN


## SHOWER TRAY SQUARO INFINITY



Model number		
<b>UDQ1810SQI2V</b>	1800 x 1000 mm	
standard models for all installation types, other dimensions can be cut to size as required, (recommended: Mepa installation system art. no. U91411400)		

DESIGN

## SHOWER TRAY SUBWAY INFINITY





Model number		A	B	D	N	T
<b>6232 45</b>	1600 x 1000 x 40 mm	1600	1000	800	500	12

standard models for all installation types, other dimensions can be cut to size as required, (recommended: Mepa installation system art. no. 9223 76 00), Subway Infinity shower trays are also available in 20 stylish ViPrint décors in addition to the standard colours

# Shower trays

DESIGN

## SHOWER TRAY SUBWAY INFINITY



Model number		A	B	D	N	T
6232 34	1500 x 900 x 40 mm	1500	900	750	450	12

available in 19 other stylish ViPrint décors

07


Baths



# Baths



## BATH ANTHEUS



Model number		A	B	D	M
<b>UBQ155ANH7F400V</b>	1550 x 750 mm	1550	750	1100	850
<b>UBQ175ANH7F400V</b>	1750 x 800 mm	1750	800	1270	1050


free-standing, available as Colour on Demand with a coloured panel in more than 200 colours

### Accessories

Push-to-Open valve without overflow function, invisible ViFlow+ overflow incl. electronic controls with integrated pressure sensor



## BATH ARCHITECTURA



Model number		A	B	D	G	I	L	M
<b>UBA147ARA2V</b>	1400 x 700 mm	1400	700	966	460	338	170	500
<b>UBA157ARA2V</b>	1500 x 700 mm	1495	700	1066	460	338	170	550
<b>UBA167ARA2V</b>	1600 x 700 mm	1600	700	1150	460	348	170	610
<b>UBA177ARA2V</b>	1700 x 700 mm	1695	700	1171	480	368	180	640
<b>UBA170ARA2V</b>	1700 x 750 mm	1695	750	1171	480	368	180	640


### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

# Baths



## BATH ARCHITECTURA




Model number		A	B	D	G	K	L
<b>UBA178ARA2V</b>	1700 x 800 mm	1695	800	1172	480	390	390
<b>UBA180ARA2V</b>	1800 x 800 mm	1795	795	1167	500	390	390
<b>UBA199ARA2V</b>	1900 x 900 mm	1895	900	1210	500	400	400

### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)



## BATH AVEO NEW GENERATION



### Model number

<b>UBQ194AVE9W1V</b>	1900 x 950 mm
----------------------	---------------

free-standing, seamless, incl. pre-fitted outlet and overflow (chrome plated), available as Colour on Demand with a coloured panel in more than 200 colours


### Accessories

pipe interruptor

# Baths



## BATH FINION



### Model number

<b>UBQ177FIN7A100V1</b>	1700 x 700 mm, incl. factory-fitted Push-to-Open valve and overflow, design ring and Emotion feature, Chrome
<b>UBQ177FIN7A200V1</b>	1700 x 700 mm, incl. factory-fitted Push-to-Open valve and overflow, design ring and Emotion feature, Champagne
<b>UBQ177FIN7A300V1</b>	1700 x 700 mm, incl. factory-fitted Push-to-Open valve and overflow, design ring and Emotion feature, Gold
<b>UBQ177FIN7N100V1</b>	1700 x 700 mm, incl. factory-fitted Push-to-Open valve, overflow and water inlet, design ring and Emotion feature, Chrome
<b>UBQ177FIN7N200V1</b>	1700 x 700 mm, incl. factory-fitted Push-to-Open valve, overflow and water inlet, design ring and Emotion feature, Champagne
<b>UBQ177FIN7N300V1</b>	1700 x 700 mm, incl. factory-fitted Push-to-Open valve, overflow and water inlet, design ring and Emotion feature, Gold


free-standing, seamless, available as Colour on Demand with a coloured panel in more than 200 colours

### Accessories

pipe interruptor



## BATH LEGATO



### Model number

Model number		A	B	D	G
<b>UBA199LEG2V</b>	1900 x 900 mm	1900	900	1255	480
<b>UBA180LEG2V</b>	1800 x 800 mm	1800	800	1235	440
<b>UBA170LEG2V</b>	1700 x 750 mm	1700	750	1220	440
<b>UBA177LEG2V</b>	1700 x 700 mm	1700	700	1220	440



### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

# Baths

DESIGN

## BATH LOOP & FRIENDS



Model number		A	B	D	K	L
<b>UBA167LFS2V</b>	1600 x 700 mm	1600	700	1150	370	370
<b>UBA177LFS2V</b>	1700 x 700 mm	1700	700	1200	390	390
<b>UBA170LFS2V</b>	1700 x 750 mm	1700	750	1200	390	390
<b>UBA180LFS2V</b>	1800 x 800 mm	1800	800	1200	350	350
<b>UBA199LFS2V</b>	1900 x 900 mm	1900	900	1200	400	400



Duo, with square inner form

### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

DESIGN

## BATH LOOP & FRIENDS



Model number		A	D	H
<b>UBA199LFS6V</b>	1900 x 900 mm	1900	1150	1000
<b>UBA205LFS6V</b>	2050 x 900 mm	2050	1200	1150

Duo, with square inner form



### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

# Baths

DESIGN

## BATH LOOP & FRIENDS



### Model number

<b>UBA180LFS7PDV</b>	1800 x 800 mm
----------------------	---------------



Duo, free-standing, incl. panel in the same colour as the bath (acrylic), incl. waste/overflow chrome-plated, with square outer and inner form, available as Colour on Demand with a coloured panel in more than 200 colours

### Accessories

pipe interruptor, overflow filler (Multiplex Trio)

DESIGN

## BATH LOOP & FRIENDS



### Model number

<b>UBA175LFS9LIV</b>	1750 x 1350 mm, left hand version, with square inner form
----------------------	---

<b>UBA175LF09LIV</b>	1750 x 1350 mm, left hand version, with oval inner form
----------------------	---

available in left- or right-hand design with an oval or rectangular inner form


### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

# Baths

DESIGN

## BATH LOOP & FRIENDS



### Model number

**UBA175LFS9REV** 1750 x 1350 mm, right hand version, with square inner form

**UBA175LFO9REV** 1750 x 1350 mm, right hand version, with oval inner form


available in left- or right-hand design with an oval or rectangular inner form

### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

DESIGN

## BATH LOOP & FRIENDS



### Model number

**UBA140LFS3V** 1400 x 1400 mm

Duo, with square inner form



### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

# Baths

DESIGN

## BATH LOOP & FRIENDS



Model number		A	B	D	K	L
<b>UBA167LF02V</b>	1600 x 700 mm	1600	700	1150	370	370
<b>UBA177LF02V</b>	1700 x 700 mm	1700	700	1200	390	390
<b>UBA170LF02V</b>	1700 x 750 mm	1700	750	1200	390	390
<b>UBA180LF02V</b>	1800 x 800 mm	1800	800	1200	350	350
<b>UBA199LF02V</b>	1900 x 900 mm	1900	900	1200	400	400



Duo, with oval inner form

### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

DESIGN

## BATH LOOP & FRIENDS



Model number		A	D	H
<b>UBA199LF06V</b>	1900 x 900 mm	1900	1150	1000
<b>UBA205LF06V</b>	2050 x 900 mm	2050	1200	1150

Duo, with oval inner form



### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

# Baths

DESIGN

## BATH LOOP & FRIENDS



### Model number

**UBA180LF07V** | 1800 x 800 mm



Duo, with oval inner form

### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

DESIGN

## BATH LOOP & FRIENDS



### Model number

**UBA180LF07PDV** | 1800 x 800 mm

Duo, free-standing, incl. panel in the same colour as the bath (acrylic), incl. waste/overflow chrome-plated, with oval outer and inner form, available as Colour on Demand with a coloured panel in more than 200 colours



### Accessories

pipe interruptor, overflow filler (Multiplex Trio)

# Baths

DESIGN

## BATH LOOP & FRIENDS



### Model number

**UBA140LF03V**

1400 x 1400 mm



Duo, with oval inner form

### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

DESIGN

## BATH OBERON



### Model number

**UBQ1600BE2V**

1600 x 750 mm

**A****B****D****G****M**
**UBQ1770BE2V**

1700 x 700 mm

1600

750

1135

450

570

**UBQ1700BE2V**

1700 x 750 mm

1700

700

1233

450

596

**UBQ1800BE2V**

1800 x 800 mm

1700

750

1238

450

620

**UBQ1800BE2V**

1800 x 800 mm

1800

800

1267

470

620


### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

# Baths

DESIGN

## BATH OBERON



### Model number


<b>UBQ1990BE2V</b>	1900 x 900 mm
--------------------	---------------

### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

DESIGN

## BATH OBERON 2.0



### Model number

<b>UBQ1800BR9CD00V</b>	1800 x 800 mm, back-to-wall bath, incl. Quaryl® panel in the same colour as the bath, available as Colour on Demand with a coloured panel in more than 200 colours
<b>UBQ1700BR2DV</b>	1700 x 750 mm
<b>UBQ1800BR2DV</b>	1800 x 800 mm


### Accessories

pipe interruptor

# Baths

START

## BATH O.NOVO



Model number		A	B	D	E	G	M
<b>UBA160CAS2V</b>	1600 x 700 mm	1600	700	1180	380	450	748
<b>UBA177CAS2V</b>	1700 x 700 mm	1695	700	1200	400	450	815
<b>UBA170CAS2V</b>	1700 x 750 mm	1695	750	1200	450	470	806


Solo

### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

START

## BATH O.NOVO



Model number		A	B	D	E	K	L
<b>UBA180CAS2V</b>	1800 x 800 mm	1795	795	1190	400	390	390
<b>UBA190CAS2V</b>	1900 x 900 mm	1900	900	1290	500	400	400

Duo


### Accessories

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

# Baths



## BATH SQUARO EDGE 12




Model number		A	B	D	M
<b>UBQ160SQE2DV</b>	1600 x 750 mm	1600	750	1150	660
<b>UBQ170SQE2DV</b>	1700 x 750 mm	1700	750	1200	720
<b>UBQ180SQE2DV</b>	1800 x 800 mm	1800	800	1200	720
<b>UBQ190SQE2DV</b>	1900 x 900 mm	1900	900	1250	820

### Accessories

water inlet, pipe interruptor



## BATH SQUARO EDGE 12



Model number	
<b>UBQ180SQE7PDV</b>	1800 x 800 mm

incl. panel in the same colour as the bath, available as Colour on Demand with a coloured panel in more than 200 colours



### Accessories

water inlet, pipe interruptor

# Baths

DESIGN

## BATH SUBWAY



**Model number**



		<b>A</b>	<b>B</b>	<b>D</b>	<b>G</b>	<b>K</b>	<b>L</b>
<b>UBA167SUB2V</b>	1600 x 700 mm	1595	700	1180	420	440	450
<b>UBA170SUB2V</b>	1700 x 750 mm	1695	750	1210	450	410	380
<b>UBA180SUB2V</b>	1800 x 800 mm	1795	800	1250	480	420	390
<b>UBA199SUB2V</b>	1900 x 900 mm	1895	900	1250	500	343	507

**Accessories**

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

DESIGN

## BATH SUBWAY



**Model number**

<b>UBA190SUB6V</b>	1900 x 800 mm
--------------------	---------------


**Accessories**

matching waste/overflow combination, pipe interruptor, overflow filler (Multiplex Trio)

# Baths



## BATH THEANO



### Model number

<b>UBQ155ANH7F200V</b>	1550 x 750 mm
<b>UBQ175ANH7F200V</b>	1750 x 800 mm

free-standing, available as Colour on Demand with a coloured panel in more than 200 colours

### Accessories

Push-to-Open valve without overflow function, invisible ViFlow+ overflow incl. electronic controls with integrated pressure sensor

08


# Special articles



# Special articles

## WASHING TROUGH 0.NOVO

START




### Model number

6820 00	1000 x 205 x 415 mm
---------	---------------------

## LAUNDRY SINK 0.NOVO

START




### Model number

6922 10	860 x 355 x 605 mm
---------	--------------------

pre-punched tap hole on right side, overflow on left

## SERVICE SINK WITH FOLDING GRID 0.NOVO

START



### Model number


6914 01	520 x 390 mm
---------	--------------

without overflow

# Special articles

**DOUBLE-BOWL SINK O.NOVO**

START




Model number		A	B	K	L
<b>6331 00</b>	795 x 220 x 500 mm	500	795	465	760
<b>6332 00</b>	895 x 220 x 550 mm	550	895	515	860

with overflow

**SINK O.NOVO**


START



Model number		A	B	K	L	M
<b>6321 00</b>	495 x 170 x 400 mm, with overflow	400	495	330	455	170
<b>6321 10</b>	495 x 170 x 400 mm, without overflow	400	495	330	455	170
<b>6322 00</b>	595 x 200 x 500 mm, with overflow	500	595	430	555	200
<b>6322 10</b>	595 x 200 x 500 mm, without overflow	500	595	430	555	200
<b>6327 00</b>	695 x 200 x 500 mm, with overflow	500	695	430	655	200

**URINAL COVER PLATE VICONNECT**

PLUS




Model number	
<b>9219 44</b>	126 x 162 x 17 mm

# Special articles

## WC FLUSH PLATE VICONNECT

PLUS




### Model number

9224 85	205 x 145 x 22 mm
---------	-------------------

## FLUSH PLATE VICONNECT

PLUS




### Model number

9224 90	253 x 145 x 10 mm
9224 00	269 x 161 x 13 mm
9218 43	269 x 161 x 13 mm

## WC FLUSH PLATE VICONNECT

PLUS




### Model number

9221 60	253 x 145 x 20 mm
9221 80	253 x 145 x 20 mm
9221 69	253 x 145 x 20 mm
9221 61	253 x 145 x 20 mm

# Special articles

START

## CHILD'S WASHDOWN WC, RIMLESS O.NOVO KIDS



**Model number**


<b>4690 R0</b>	320 x 520 mm
<b>4690 R2</b>	320 x 520 mm, without holes for WC-seat and cover

**Accessories**

childrens' toilet seat

START

## WASHDOWN TOILET FOR SMALL CHILDREN O.NOVO KIDS



**Model number**


<b>4691 10</b>	290 x 440 mm
----------------	--------------

**Accessories**

childrens' toilet seat

START

## MULTIPLE WASHBASIN O.NOVO KIDS



**Model number**

<b>4A08 13</b>	1300 x 430 mm
----------------	---------------

suitable for 3-hole tap fittings, 3 tap holes punched out, without overflow

**Accessories**

trap cover

09

Other products

20-7ter --- 9 Eimer  
20-K4 Unterlassen 8 Eimer  
18-2ter --- 11 Eimer  
20-5ter --- 9 Eimer  
20-3ter --- 10 Eimer  
10-Nockenrahmen 6 Eimer  
← 1-K0 --- 1 Eimer



# Bathroom furniture

## Masterly craftsmanship

Villeroy & Boch sees bathroom furniture as an essential component of architecture. Furniture adds a harmonious finish to interior design through the quality of the materials, finishing and appearance. These aspects are typical of Villeroy & Boch furniture and can be seen in many of the collections.

All the bathroom furniture ranges at: [pro.villeroy-boch.com](http://pro.villeroy-boch.com)

### Special features of Villeroy & Boch bathroom furniture:

- A design language adapted to suit the ceramic products
- Use of environment-friendly raw materials and sustainable technologies such as LED light for mirrors, mirror cabinets and cabinet lighting
- Different internal arrangements of cabinets and drawers for practical convenience, e.g. adjustable glass or wood dividers, aluminium rails or accessory boxes
- Surface sealing to protect from moisture in the wet room
- Double-sided coating of rear walls
- Robust, metal hinges, electroplated for corrosion resistance
- Products made in Germany/Austria



Top quality finish right down to the smallest detail.



Made in Mondsee, Austria. A second production facility is located in Treuchtlingen, Germany.



# Whirlpool systems

## Noise reduction for added comfort

Modern bathrooms increasingly feature wellness components for massage or relaxation as standard. High-quality whirlpools need to offer much more than simple jet functions, however. The Villeroy & Boch whirlpool systems comply with DIN 4109 and, thanks to Whisper technology, are amongst the quietest available on the market.

All the whirlpool systems at: [pro.villeroy-boch.com](https://pro.villeroy-boch.com)

### Special features of Villeroy & Boch whirlpool systems:

- Three whirlpool systems: AirPool, Hydro-Pool and CombiPool, each in two versions (Entry-level and Comfort) and two additional CombiPools: Invisible and Active
- High planning reliability thanks to a choice of more than 70 baths that can be fitted with any whirlpool system
- Acrylic or Quarry!® baths ensure precise finishing
- Tested Whisper function for peaceful relaxation
- Underwater lighting or changing coloured lights in all models
- All products made in Europe



Flush-mounted nozzles for a smooth bath surface the Invisible Jets extend automatically only when needed.



Customised manufacturing and precision technology made in Europe guarantee the highest quality standards.



SQUARO EDGE bath

# Tap fittings & Accessories

## Stylish variety for contemporary architecture

Tap fittings determine the character of a bathroom and are the calling card, so to speak, of a washroom. Villeroy & Boch offers a wide selection of tap fittings to meet all possible planning requirements in terms of appearance, practicality and durability. In spite of heavy use, high-quality brass fittings ensure long-term sustainable use of water in the process.

All the tap fitting ranges at: [pro.villeroy-boch.com](http://pro.villeroy-boch.com)

### Special features of Villeroy & Boch tap fittings:

- Sustainable solutions for reducing water consumption
- Plenty of scope for installation: surface-mounted and concealed installation; washbasin tap fittings of different heights; various 1-hole and 3-hole tap fittings; for wall-mounted or floor-standing installation; for all washbasin, bidet, shower or bath applications
- Chrome-plating for resistance to scratching and mechanical stress
- Alternative finishes: from the exclusive "Champagne" gold finish, handles made of crystal glass or porcelain to the classic cross handle
- Customised solutions with special finishes and colours are possible



Different versions offer flexibility and scope for integrated architectural design.



A top quality finish ensures a long service life even when the tap fittings are subjected to heavy use.



  
Villeroy & Boch  
1748

DOMICIL tap fittings range

# Tiles

## Consummate interior design

Ceramic tiles are the perfect choice wherever robust and attractive wall and floor coverings are required – particularly in public and semi-public projects. They offer high load-bearing capacity, a firm footing, efficient cleaning and help to create aesthetically appealing interiors. The tile concepts from Villeroy & Boch meet the requirements of international project business. In numerous formats, colours and surface finishes they open up a broad range of design options and tick all the boxes for sustainable projects in compliance with the relevant standards.


All the tile ranges at: [pro.villeroy-boch.com](https://pro.villeroy-boch.com)

### Special features of Villeroy & Boch tiles:

- Inspiring décor variety for interior and outdoor applications
- Outdoor tiles of 2 cm in thickness in selected décors and various formats
- Standardised slip-resistance classes for use in public and private areas
- Accessible construction with high-tech tiles and functional trims
- Unique ceramic articles from digital prints to hand-crafted mosaics are available as part of the special Artefactor service
- Planning support from our own architects and interior designers
- The tiles meet all sustainable building requirements. V&B Fliesen GmbH is EMAS-validated, the processes and procedures are certified in accordance with DIN EN ISO 9001.
- The resource-conserving and environmentally compatible production processes have been awarded the EPD label by the "Institut für Bauen und Umwelt e.V."



The Artefactor department offers an individual, aesthetic and creative service, producing tiles to customers' specifications for specific projects.



The product range also includes stair tiles with milled grooves as edge markings, up to the large size of 30 x 120 cm.



HUDSON porcelain stoneware range



BERNINA porcelain stoneware range



**Villeroy & Boch**  
1748

2018 - Shades and dimensions subject to the usual tolerances. We reserve the right to make technical modifications to the range and alter colours.

[PRO.VILLEROY-BOCH.COM](http://PRO.VILLEROY-BOCH.COM)